

# basic education

Department:  
Basic Education  
**REPUBLIC OF SOUTH AFRICA**

**GREENBURY SECONDARY  
SCHOOL**

**GRADE 11**

**MATHEMATICS PAPER TWO**

**NOVEMBER 2015**

**MARKS: 150**

**EXAMINER : R. DEMRUGARAM**

**TIME: 3 Hour**

**MODERATOR: L. PILLAY**

**This question paper consists of 9 pages**

**INSTRUCTIONS AND INFORMATION:**

Read the following instructions carefully before answering the questions:

1. This question paper consists of 12 questions and 9 pages.
2. Answer all the questions.
3. Clearly show all calculations, diagrams, graphs, etc which you have used in determining the answers.
4. Answers only will not necessarily be awarded full marks.
5. You may use an approved scientific calculator (non-programmable and non-graphical), unless stated otherwise.
6. If necessary, round off your answers to TWO decimal places, unless stated otherwise.
7. Number your answers correctly according to the numbering system used in this question paper.
8. Diagrams are not necessarily drawn to scale.
9. It is in your own interest to write neatly and legibly.

**QUESTION ONE:**

The following data represents a set of mathematics marks of 19 learners in a Mathematics test. The maximum mark is 50.

32 9 49 11 7 31 22 14 25 38 36 40 42 10 19 42 8 6 16

- 1.1. Write down the 5 number summary. (5)
- 1.2. Draw a box and whisker plot of the data on the diagram sheet provided. (3)
- 1.3. Comment on the distribution of the data. (1)
- 1.4. Calculate the mean. (2)
- 1.5. Determine the standard deviation. (2)
- 1.6. Determine the percentage of scores that lie within one standard deviation of the mean. (2) [15]

**QUESTION TWO:**

The table below shows the performance of learners in a grade 11 Mathematics test.

Class Interval	Frequency	Cumulative Frequency
$0 \leq x < 10$	1	
$10 \leq x < 20$	3	
$20 \leq x < 30$	6	
$30 \leq x < 40$	13	
$40 \leq x < 50$	12	
$50 \leq x < 60$	15	
$60 \leq x < 70$	8	
$70 \leq x < 80$	2	
$80 \leq x < 90$	3	
$90 \leq x < 100$	1	


- 2.1. Complete the table provided. (3)
- 2.2. Draw an Ogive curve to represent this information. (4)
- 2.3. Estimate the median from the graph. (1) [8]

p.t.o. Question Three....

**QUESTION THREE:**

In the diagram ABCD is a parallelogram with coordinates

$A(x; 6)$ ;  $B(9; -2)$ ;  $C(8; y)$  and  $D(-4; 2)$




- 3.1. Calculate the coordinates of M, the midpoint of BD. (2)
- 3.2. Hence, or otherwise show that  $x = -3$  units and  $y = -6$  units (3)
- 3.3. Calculate the gradient of BC. (2)
- 3.4. Calculate the gradient of BD. (2)
- 3.5. Hence show that  $\Delta DBC$  is not right angled. (2)
- 3.6. Calculate the equation of AB in the form  $y = mx + c$ . (4)
- 3.7. Determine the value of  $\hat{DAB}$  (4) [19]

**QUESTION FOUR:**

- 4.1. The distance between the points  $A(-6; -5)$  and  $B(2; x)$  is 10 units. Determine the value(s) of  $x$ . (4)
- 4.2. The equation of a straight line is  $y = px + 6$ . Determine the value of  $p$  in each of the following cases if the given line:
  - 4.2.1. passes through the point  $B(-1; -4)$  (2)
  - 4.2.2. is perpendicular to the line  $2y + x = 4$  (2)
  - 4.2.3. is parallel to the  $x$ -axis. (1) [9]

**QUESTION FIVE:**

In the figure point P has coordinates  $(1; -\sqrt{3})$   
 Reflex  $\hat{XOP} = \theta$  and  $\hat{XOP} = \beta$



Determine the following without the use of a calculator:

5.1.  $OP$  (3)

5.2.  $\sin \theta$  (2)

5.3. the value of  $\beta$  (3) [8]

**QUESTION SIX:**

6.1. Determine the value of the following expression without using a calculator:

$$\frac{\cos 10^\circ, \cos 120^\circ}{\sin 80^\circ, \sin 330^\circ} \quad (5)$$

6.2. Express as a single ratio of  $\theta$ :

$$\frac{\sin (90^\circ - \theta) \tan (180^\circ - \theta)}{\cos (-\theta) \cdot \sin (180^\circ + \theta)} \quad (5)$$

6.3. Prove the following identity:

6.3.1.  $\sin x + \frac{\cos^2 x}{\sin x} = \frac{1}{\sin x}$  (4)

6.3.2. For which value(s) of  $x$  is the identity undefined if  $x \in [0^\circ; 360^\circ]$  (3) [17]

p.t.o. Question Seven....

**QUESTION SEVEN:**

Given  $f(x) = \sin(x - 30^\circ)$   
 $g(x) = \cos 2x$

7.1. Determine the general solution of  $f(x) = g(x)$  (7)

7.2. Draw a neat sketch of  $f$  and  $g$  on the same set of axes  
for  $x \in [-180^\circ; 180^\circ]$ .

Clearly indicate all intercepts with the axes, turning points and  
end points. (6)

7.3. Write down the period of  $g$ . (1)

7.4. Determine the values of  $x$  for which  $g(x)$  is strictly decreasing  
as  $x$  increases. (2)

7.5. If  $f$  is shifted  $60^\circ$  to the left to obtain the graph of  $h(x)$ , write  
down the resulting equation of  $h(x)$ . (2) [18]

**QUESTION EIGHT:**


8.1. Complete the following rules for  $\Delta PQR$ :

8.1.1. Area  $\Delta PQR = \frac{1}{2} pr$  \_\_\_\_\_ (1)

8.1.2.  $\cos Q = \frac{p^2 + r^2 - q^2}{2pr}$  \_\_\_\_\_ (1)

8.2. In the figure D is the midpoint of AC.

$AB = 5$  cm,  $BC = 7$  cm and  $AC = 6$  cm.



8.2.1 Show by calculation that  $\hat{A} = 78.46^\circ$  (3)


8.2.2. Calculate the area of  $\Delta ABD$  (3)

8.2.3 Calculate the size of  $\hat{C}$  (3) [11]

p.t.o. Question Nine....

**QUESTION NINE:**

A solid wooden hemisphere is carved from a cylindrical piece of wood. The radius of the hemisphere and the cylinder is 12 cm.



Calculate the volume of:

- 9.1. the wooden hemisphere. (3)
  - 9.2. the volume of wood that has been carved away. (4) [7]
- 

**In Questions 10, 11and 12 please note:**

1. Diagrams are not drawn to scale.
2. Give a reason for each new statement.
3. Show all necessary working in full.

**QUESTION TEN:**

- 10.1. Complete the statement so that it is valid:


The line drawn from the centre of a circle perpendicular to the chord \_\_\_\_\_

(1)

- 10.2. AB is the chord of circle centre O.

OE bisects chord AB.

AD = 12 cm, ED = 8 cm and OD = x cm



- 10.2.1. Determine the radius OB in terms of x.


(1)

- 10.2.2. Hence calculate the diameter of the circle.

(4) [6]

**QUESTION ELEVEN:**


- 11.1. In the diagram, O is the centre of the circle.  
A, B and D are points on the circle.



Using Euclidean geometry methods prove the theorem which states that  $\hat{AOB} = 2 \hat{ADB}$ . Clearly indicate any construction lines.

(5)

- 11.2. In the diagram, O is the centre of the circle RMPS. T is the midpoint of RM.  $\hat{R} = 50^\circ$



- 11.2.1. Calculate, with reasons the value of the following:


- a)  $\hat{O_2}$  (2)
- b)  $\hat{S}$  (2)
- c)  $\hat{P_1}$  (2)
- d)  $\hat{T_1}$  (2)

- 11.2.2. Show by calculations, that TOPM is NOT a cyclic quadrilateral. (2) [15]

**QUESTION TWELVE:**

12.1. PT is a tangent to PQRS.

$$\hat{TPR} = 72^\circ. \hat{Q} = x$$




Calculate the value of x.

(4)

12.2. TP and TQ are tangents to the circle at P and Q respectively.

$$TY \text{ is drawn parallel to } RQ \text{ with } Y \text{ on } RP. \hat{TPQ} = x$$



12.2.1. Name with reasons 3 other angles equal to x.

(6)

12.2.2. Prove that TPYQ is a cyclic quadrilateral.

(2)

12.2.3. Prove that TY bisects  $\hat{P}YQ$ .

(2)

12.2.4. Prove that  $\triangle ARQY$  is an isosceles triangle.

(3) [17]

**TOTAL : 150**

GR 11 MATHS P2 – NOVEMBER EXAMINATION  
GSS  
Page 9 of 9

*[Handwritten signature]*

( )

( )

GRADE 11 MATHEMATICS PAPER 2

MARKING MEMORANDUM

QUESTION ONE:

1.1. 6 7 8 9  $\textcircled{10}$  11 14 16  $\textcircled{19}$   $\textcircled{22}$  25 31 32 36  $\textcircled{38}$  40 42 42 49

$$\text{MIN} = 6 \checkmark A$$

$$Q_1 = 10 \checkmark A$$

$$Q_2 = 22 \checkmark A$$


$$Q_3 = 38 \checkmark A$$

$$\text{MAX} = 49 \checkmark A$$

If learners used formulae to obtain answers (full credit)

(5)

1.2.



0 5 10 15 20 25 30 35 40 45 50

(3)

1.3. SKEWED TO THE RIGHT  $\checkmark A$  / 50% marks lie between 10 & 38 (etc) (1)

$$1.4. \text{MEAN} = \frac{457}{19} = 24,05 \checkmark A / 24 \checkmark A$$

(2)

1.5.  $\sigma = 13,83 \checkmark A$  (attempt with use of a table - 1 mark) (2)

1.6.  $(\bar{x} \pm \sigma)$

$$= (\bar{x} - \sigma; \bar{x} + \sigma)$$

$$= (24,05 - 13,83; 24,05 + 13,83)$$

$$= (10,22; 37,88) \checkmark A$$

$$= \frac{9}{19} \times 100$$

$$= 47,37 \% \checkmark A / 47 \% / 47,4\%$$

(2) [15]

1.3. 50% marks lie between 6 and 22 or

50% " " " 22 and 38

accept any one of the answers.

QUESTION TWO:

CLASS INTERVAL	FREQ	CUMULATIVE FREQUENCY
$0 \leq x < 10$	1	1
$10 \leq x < 20$	3	4
$20 \leq x < 30$	6	10
$30 \leq x < 40$	13	23
$40 \leq x < 50$	12	35
$50 \leq x < 60$	15	50
$60 \leq x < 70$	8	58
$70 \leq x < 80$	2	60
$80 \leq x < 90$	3	63
$90 \leq x < 100$	1	64

• all correct 3 marks

• 1 Error 2 marks


• 2 Errors 1 mark

✓ More than 2 Errors 0 marks

(3)

2.2.

CUMULATIVE FREQUENCY CURVE SHOWING THE MARKS OF LEARNERS



(4)

2.3. MEDIAN = ±48 accept answers : {46 / 47 / 48 / 49} or fractions (1)[8] thereof.

### QUESTION THREE :

3.1.  $B(9, -2)$ ;  $D(-4, 2)$

$$M\left(\frac{9-4}{2}; \frac{-2+2}{0}\right) \checkmark A$$

$$M\left(\frac{5}{2}, 0\right) \checkmark A$$

(2)

3.2.  $A(x; 6)$ ;  $C(8; y)$

$$\frac{x+8}{2} = \frac{5}{2} \checkmark A; \frac{6+y}{2} = 0$$

$$x = -3; y = -6 \checkmark A$$

(3)

3.3.  $mBC = \frac{y_2 - y_1}{x_2 - x_1}$

$$= \frac{-2 + 6}{9 - 8}$$

$$= 4 \checkmark A$$

(2)

3.4.  $mBD = \frac{2+2}{-4+9}$

$$= \frac{4}{5} \checkmark A$$

(2)

3.5.  $mBC \times mBD = \frac{4}{7} \times \frac{4}{5}$

$$= \frac{8}{35} \checkmark A$$

$$\neq 1 \checkmark A$$

$\therefore \triangle DBC$  is not rt angled. (2)

3.7.  $mAD = \frac{6-2}{-3+4}$

$$= 4$$

$$\theta = 75, 96^\circ \checkmark A$$

$$mAB = \frac{-2-6}{9+3}$$

$$= -\frac{2}{3} \checkmark A$$

$$\alpha = 33, 69^\circ \checkmark A$$

$$DAB = 70, 35^\circ \checkmark A \text{ (as of } \alpha) \text{ (4)}$$

3.6.  $mAB = -\frac{2}{3}$

$$y - y_1 = m(x - x_1) \checkmark$$

$$y - 6 = -\frac{2}{3}(x + 3) \checkmark$$

$$y - 6 = -\frac{2}{3}x - 2$$

$$y = -\frac{2}{3}x + 4 \checkmark$$

(4)  
[19]

### QUESTION FOUR :

4.1.  $AB = \sqrt{(2+6)^2 + (x+5)^2} \checkmark A$

$$10 = \sqrt{64 + x^2 + 10x + 25}$$

$$100 = 64 + x^2 + 10x + 25$$

$$x^2 + 10x + 64 + 25 - 100 = 0$$

$$x^2 + 10x - 11 = 0$$

$$x = 1 \text{ or } x = -11 \checkmark A$$

4.2.1.  $y = px + b$

$$(-1; -4): -4 = p(-1) + b \checkmark A$$

$$p = 10 \checkmark A$$

4.2.2.  $2y + x = 4$

$$2y = -x + 4$$

$$y = -\frac{1}{2}x + 2$$

$$m_1 = -\frac{1}{2} \checkmark A$$

$$p = 2 \checkmark A$$

(2)

4.2.3.  $p = 0 \checkmark A$

(1)

[9]

### QUESTION FIVE :

5.1.1.  $OP^2 = (1)^2 + (-\sqrt{3})^2$  (Th of Pyth)

$$OP = 2 \checkmark$$

(3)

5.1.2.  $\sin \theta = -\frac{\sqrt{3}}{2} \checkmark$

(2)

5.1.3. Reflex  $\hat{xOB} = 300^\circ$

$$\hat{B} = 60^\circ \checkmark$$

(3)

[8]

QUESTION SIX :

6.1.  $\frac{\cos 10^\circ \cos 120^\circ}{\sin 80^\circ \sin 330^\circ}$

$$= \frac{\sin 80^\circ \cos(180^\circ - 60^\circ)}{\sin 80^\circ \sin(360^\circ - 30^\circ)}$$

$$= \frac{-\cos 60^\circ \sqrt{A}}{-\sin 30^\circ \sqrt{A}}$$

$$= -\frac{1}{2} \sqrt{A}$$

$$= -\frac{1}{2}$$

$$= 1 \sqrt{A}$$

OR

$$= \frac{\cos 10^\circ \cdot (-\sin 30^\circ)}{\cos 10^\circ \cdot (-\sin 30^\circ)}$$

$$= 1 \sqrt{A}$$

(5)

6.2.  $\frac{\sin(90 - \theta) \tan(180 - \theta)}{\cos(-\theta) \sin(180 + \theta)}$

$$= \frac{\cos \theta \cdot -\tan \theta \sqrt{A}}{\cos \theta \cdot -\sin \theta \sqrt{A}}$$

$$= \frac{\sin \theta \sqrt{A}}{\cos \theta} \times \frac{1 \sqrt{A}}{\sin \theta}$$

$$= \frac{1}{\cos \theta} \sqrt{A}$$

(5)

6.3.1 LHS =  $\sin x + \frac{\cos^2 x}{\sin x}$

$$= \frac{\sin^2 x + \cos^2 x \sqrt{A}}{\sin x \sqrt{A}}$$

$$= \frac{1}{\sin x} \sqrt{A}$$

(4)

6.3.2.  $\sin x = 0$

$$x = 0^\circ, 180^\circ, 360^\circ$$

(3) [17].

### QUESTION SEVEN:

7.1.  $\cos 2x = \sin(x - 30^\circ)$

$\cos 2x = \cos[90 - (x - 30)]$

$\cos 2x = \cos(120 - x)$

$2x = 120 - x + k360$  ✓ or

$3x = 120 + k360$

$x = 40^\circ + k120$  ✓

Look for shorter techniques on coroutines

used by learners eg

$$x - 30^\circ + 2x = 90^\circ + 360^\circ k \Rightarrow \dots$$


$$\text{or } x - 30^\circ - 2x = 90^\circ + 360^\circ k \Rightarrow \dots$$

$2x = 360 - (120 - x) + k360$ , KEZ

$2x = 360 - 120 + x + k360$

$x = 240 + k360$  ✓ /  $x = -120 - 360^\circ k$  (7)

7.2.



(6)

7.3.  $180^\circ$  ✓ A

✓ CA ✓ CA

(1)


7.4.  $x \in (-180^\circ, -90^\circ); x \in (0^\circ, 90^\circ)$

(2)

7.5.  $h(x) = \sin(x + 30^\circ)$

(2) [18]

### QUESTION EIGHT:



$$8.2.2: \text{AREA } \triangle ABD = \frac{1}{2} (AB)(AD) \sin 78,46^\circ$$

$$= \frac{1}{2} (5)(3) \sin 78,46^\circ \checkmark A$$

$$= 7,35 \text{ cm}^2 \checkmark A \quad (3)$$

8.1.1. AREA  $\triangle PQR = \frac{1}{2} pr \sin Q$  (1) A

8.1.2.  $\cos Q = \frac{P^2 + r^2 - q^2}{2pr}$  (1)

8.2.1.  $\cos A = \frac{b^2 + c^2 - a^2}{2bc}$

$$\cos A = \frac{6^2 + 5^2 - 7^2}{2(6)(5)}$$

A = 78,46

(3)

8.2.3.  $\sin C = \frac{\sin 78,46^\circ}{5} \checkmark A$

$\therefore \sin C = \frac{5 \sin 78,46^\circ}{7} \checkmark A$

$\therefore \hat{C} = 44,41^\circ \checkmark A$

[11]

**QUESTION NINE :**

$$9.1. V_1 = \frac{1}{2} \left[ \frac{4}{3} (\pi) (12)^3 \right] \checkmark A$$
$$= 3619,11 \text{ cm}^3 \checkmark CA \quad (3)$$

**9.2. VOLUME OF CYLINDER**

$$= \pi (12)^2 (12) \checkmark A$$

$$= 5428,67 \text{ cm}^3 \checkmark CA$$

**VOLUME OF CARVED WOOD**

$$= 5428,67 - 3619,11 \checkmark CA$$

$$= 1809,56 \text{ cm}^3 \checkmark CA \quad (4)$$

[7]

**QUESTION TEN :**

10.1. bisects the chord  $\checkmark A$  (1)

$$10.2.1. OB = x + 8 \checkmark A \quad (1)$$

$$10.2.2. (x+8)^2 = 12^2 + x^2 \checkmark A \quad (\text{Th of Pyth})$$

$$x^2 + 16x + 64 = 144 + x^2$$

$$16x = 80$$

$$x = 5 \checkmark$$

$$r = 13 \text{ cm}$$

$$\text{DIAMETER} = 26 \text{ cm} \checkmark \quad (4) [6]$$

QUESTION ELEVEN :

11.1. GIVEN : CIRCLE WITH  $\overset{\wedge}{AOB}$  AT CENTRE AND  
 $\overset{\wedge}{ADB}$  AT CIRCUMFERENCE.

RTP :  $\overset{\wedge}{AOB} = 2\overset{\wedge}{ADB}$

PROOF : DRAW DC THROUGH DO ✓

$$DO = AD = OB \quad (\text{RADII})$$

$$\overset{\wedge}{D_1} = \overset{\wedge}{A} + \overset{\wedge}{D_1} \\ = 2D_1 \quad (\text{EXT L OF } D)$$

$$\overset{\wedge}{D_2} = \overset{\wedge}{D_2} + B \\ = 2D_2 \quad (\text{EXT L OF } D)$$

$$\begin{aligned} \overset{\wedge}{AOB} &= \overset{\wedge}{D_1} + \overset{\wedge}{D_2} \quad \checkmark \\ &= 2(\overset{\wedge}{D_1} + \overset{\wedge}{D_2}) \\ &= 2\overset{\wedge}{ADB} \quad \checkmark \end{aligned} \quad (5)$$

(1) 11.2.1 a)  $\overset{\wedge}{D_2} = 100^\circ$  ( $\angle$  at centre) (2)

b)  $\overset{\wedge}{S} = 50^\circ$  ( $\angle$  at centre) or (cs in same segm) (2)

c)  $\overset{\wedge}{P_1} = 40^\circ$  ( $\text{cs of isosc } D$ ; radii) (2)

d)  $\overset{\wedge}{T_1} = 90^\circ$  ( $\text{midpt, centre}$ ) (2)

11.2.2.  $\overset{\wedge}{P_1} + \overset{\wedge}{T_1}$

$$= 40^\circ + 90^\circ$$

$$= 130^\circ \quad \checkmark$$

$$\neq 180^\circ \quad \checkmark$$

$\therefore$  TOPM is not cyclic quad

(2) [15]

QUESTION TWELVE :

$$12.1. \hat{S} = 72^\circ \checkmark^A \text{ (c betw tan, chord)}$$

$$\hat{x} = 108^\circ \checkmark^A \text{ (opp cs of cyclic quad)}$$

(4)

$$12.2.1. \hat{R} = \hat{x} \checkmark^A \text{ (tan chord theorem) } \checkmark^A$$

$$\hat{Y_3} = \hat{x} \checkmark^A \text{ (corresp } \hat{S} \text{ } \checkmark^A \text{ TY } \parallel \text{ RQ) } \checkmark^A$$

$$\hat{Q_4} = \hat{x} \checkmark^A \text{ (tan chord theorem) } \checkmark^A$$

(6)

$$12.2.2. \hat{Y_3} = \hat{Q_4} = \hat{x} \checkmark^A \text{ (Proved) } \checkmark^A$$

$\therefore$  TPYQ is cyclic (cs in same segm)

(2)

$$12.2.3. \hat{P_2} = \hat{Y_2} = \hat{x} \checkmark^A \text{ (cs in same segm QT) } \checkmark^A$$

$\therefore$  TY bisects P $\hat{Y}$ Q

(2)


$$12.2.4. \hat{Y_2} = \hat{Q_2} = \hat{x} \checkmark^A \text{ (TY } \parallel \text{ RQ) } \checkmark^A$$

$$\text{Now } \hat{R} = \hat{Q} = \hat{x} \checkmark^A$$

$\therefore$  DRQY is isosceles

(3) [17]

COLLEGE OF ADVANCED STUDIES  
DEPARTMENT OF MATHEMATICS & SCIENCES  
UNIVERSITY OF DAKAR, SENEGAL

  
04/11/2015