

TIME: 1<sup>1</sup>/<sub>2</sub> hours PROVINCIAL MARKS HOD CLUSTER TOTAL MOD. Q1 15 MARKS Q2 20 75 75 Q3 24 Q4 16

This question paper consists of 13 pages, including 1 page for rough work and calculations.

### **RESOURCE MATERIAL**

- 1. An extract from the topographical map 3126 DD QUEENSTOWN.
- 2. Orthophoto map 3126DD 13 QUEENSTOWN
- 3. **NOTE:** The resource material must be collected by the schools for their own use.

### **INSTRUCTIONS AND INFORMATION**

- 1. Write your NAME in the space provided on the cover page.
- 2. Answer ALL the questions in the spaces provided in this question paper.
- 3. You are provided with a 1:50 000 topographic map (3126 BB QUEENSTOWN) and an orthophoto map (3126 DD 13 QUEENSTOWN) of a part of the mapped area.
- 4. You must hand in the topographic map and the orthophoto map to the invigilator at the end of this examination session.
- 5. You must use the blank page at the back of this paper for all rough work. DO NOT detach this page from the question paper.
- 6. Show ALL calculations and formulae, where applicable. Marks will be awarded for these.
- 7. Indicate the unit of measurement in the final answer of calculations. Ensure that units are maintained throughout ALL your calculations and final answer.
- 8. You may use a non-programmable calculator.
- 9. The area demarcated in RED on the topographic map represents the area covered by the orthophoto map.
- 10. A glossary of some of the English and Afrikaans words and their translations appears below.

ENGLISH	AFRIKAANS
Landing strip	Vliegveld
Furrow	Voor
Caravan Park	Karavaanpark
Canal	Kanaal
Sewerage works	Rioolwerke
Golf Course	Gholfbaan
Excavation	Uitgrawing
Nature reserve	Natuurreservaat
Rifle Range	Skietbaan
Aerodrome	Vliegveld
Ravine	Kloof

### **GENERAL INFORMATION ON QUEENSTOWN**

**Queenstown**, now **Komani**<sup>[2]</sup>, is a town in the middle of the <u>Eastern Cape Province</u> of <u>South</u> <u>Africa</u>, roughly halfway between the smaller towns of <u>Cathcart</u> and <u>Sterkstroom</u>. It is currently the commercial, administrative and educational centre of the surrounding farming <u>district</u>.

Its former nickname, "Rose Capital of South Africa", comes from the large gardens and open places for flowers, (especially roses), in and around the town.



#### **QUESTION 1: MULTIPLE-CHOICE QUESTIONS**

The questions below are based on the 1 : 50 000 topographic map 3126DD QUEENSTOWN, as well as the orthophoto map of a part of the mapped area. Various options are provided as possible answers to the following questions. Choose the answer and write only the letter (A-D) in the block next to each question (1.1-1.15).

- 1.1 The map code of the topographic map of Queenstown indicates that the town lies on the ...
  - A 31° E longitude and 26° N latitude.
  - B 31° E longitude and 26° S latitude.
  - C 31° S latitude and 26° E longitude.
  - D 31° N latitude and 26° E longitude.
- 1.2 The contour interval of the orthophoto map is ...
  - A 20 m.
  - B 10 m.
  - C 15 m.
  - D 5 m.
- 1.3 The map scales that are evident on the topographic map is a ... scale.
  - A ratio and a word
  - B ratio and a fraction
  - C line and ratio
  - D line and word
- 1.4 The index number of the map sheet northwest of Queenstown is ...
  - A 3126 DD.
  - B 3126 DD.
  - C 3125 CC.
  - D 3126 DA.
- 1.5 Queenstown is in the ... province.
  - A Eastern Cape
  - B Western Cape
  - C KwaZulu-Natal
  - D North West
- 1.6 The scale of the orthophoto map is ... than that of the topographic map.
  - A 5 times larger
  - B 5 times smaller
  - C 10 times larger
  - D 10 times smaller



- 1.7 The landform that is found at **K** in block **I5** on the topographic map is
  - a ... A sp

C D

- A spur. B valley.
  - cliff.
    - flat-topped mountain.
- 1.8 The feature marked **R** on the topographic map is a ...
  - A rift valley.
  - B gorge.
  - C mountain pass.
  - D gap.
- 1.9 The grid reference / co-ordinates of trigonometrical station 184 in block **H1** is ...
  - A 31°57'40" S / 26°48'40" E.
  - B 31°58'40" E / 26°48'16" S.
  - C 31°59'30" S / 25°48'44" E.
  - D 34°02'40" E / 24°48'16" S.
- 1.10 The altitude shown by the trigonometrical station in block **E7** is ...
  - A 1 100 m.
  - B 199,0 m.
  - C 1 121,7 m.
  - D 349 m.
- 1.11 The type of river marked L in Block H9 is a ...
  - A perennial river.
  - B non-perennial river.
  - C dry water course.
  - D dry pan.
- 1.12 Which route would a motorist use to travel to Whittlesea from Queenstown?
  - A National road
  - B Arterial road
  - C Secondary road
  - D Other road





l I	_		_

5

# 6 Downloaded from Stanmergyanysias.com

1.13 The height of the road shown on the topographic map in block **F9** is 1 169,2 metres which is indicated by a ... on the map.

Copyright reserved

spot height

A

- Build trigonometrical station
- C contour line
- D bench mark
- 1.14 Refer to block **G10** on the topographic map. To travel to East London from Queenstown, a motorist would take a(n) ... direction.
  - A easterly
  - B southerly
  - C south easterly
  - D south westerly
- 1.15 How many kilometres would a motorist travel from block **J1** on the topographic map to Whittlesea?
  - A 48 km
  - B 26 km
  - C 32 km
  - D 20 km

(15 x 1) **[15]** 







### SECTION B: MAPWORK CALCULATIONS AND TECHNIQUES

## **QUESTION 2**

- 2.1 Draw a line scale for this word scale: 1 cm represents 10 km (Your line scale should show 100 km.)
- (2 x 1) (2)


(4 x 1) (4)

2.2 Calculate the demarcated straight line distance in kilometres between number **7** and number **8** on the orthophoto map.

- 2.3 Name the features at each of the following co-ordinates:
  - (a) 31°53'00" S 26<sup>0</sup> 51'30" E:
  - (b) 31°55'10" S 26<sup>0</sup> 56'10" E:

		(2 x 1)	(2)
2.4	Determine the true bearing from spot height 1496 to spot height 1414 A5.	in block	
	True bearing =	(2 x 1)	(2)
2.5	Use the information in QUESTION 2.4 above. Calculate the magnetic for 2018. The present magnetic declination is 27°12'.	bearing	
	Magnetic bearing =		

Please turn over



#### **QUESTION 3: MAP AND PHOTO APPLICATION AND INTERPRETATION**

3.1 Provide TWO pieces of evidence from the map to prove that agriculture takes place in block G1. (2 x 1) (2) 3.2 Identify the following on the map: Recreational place in block D6/E6. 3.2.1 3.2.2 Tourist attraction site in block C3.  $(2 \times 1)$ (2) 3.3 Refer to slope no. 2 on the orthophoto map: 3.3.1 Identify the slope of the land marked by no. 2 on the orthophoto map.  $(1 \times 1)$ (1) 3.3.2 Suggest a reason for your answer in QUESTION 3.3.1. (1 x 2) (2) 3.4 Write down the height of the contour line marked 5 on the orthophoto. (1 x 1) (1) 3.5 Refer to the Ngcobo River in block **J9**. In which direction does the Ngcobo River flow? 3.5.1  $(1 \times 1)$ (1) 3.5.2 Suggest ONE reason to support your answer in QUESTION 3.5.1. (1 x 2) (2)

3.6		o block <b>H1</b> on the topographic map. Name FOUR sources/methods that suse to obtain water to irrigate their fields.	
3.7	Orthop	hotomap. (4 x 1)	(4)
	3.7.1	Choose the correct answer between brackets:	
		The orthophoto map is derived from a (high oblique/vertical aerial) photograph.	
		(1 x 1) (	(1)
	3.7.2	What evidence is there on the map to support your answer in QUESTION 3.7.1?	
		(1 x 1) (	(1)
3.8	Sugges Queens	st ONE reason why the site on the map is suitable for building a town like stown.	
		(1 x 1) (	(1)
3.9		o the topographic map in block <b>E1</b> and <b>G1</b> . State how the authorities water to Queenstown and surroundings.	
			(6) 2 <b>4]</b>

### **QUESTION 4: GEOGRAPHIC INFORMATION SYSTEMS (GIS)**

- 4.1 Define the term geographic information systems.
- 4.2 Refer to block **D6** on the topographic map and identify the dam. FIGURE 4.2 below is an extract of a satellite image showing Berry dam and surroundings in Queenstown.



**FIGURE 4.2** 

[Source: https://www.google.com/maps]

Choose the correct term between brackets.

- 4.2.1 The satellite image in FIGURE 4.2 is data from (ground survey / remote sensing).
- 4.2.2 The satellite image mainly displays (attribute / spatial) data.
- 4.2.3 The satellite image is in a (raster / vector) format.
- 4.2.4 The image consists of (pixels / points, lines, polygons).
- 4.3 Define *remote sensing*.

Copyright reserved

(4)

(4 x 1)

(1)

 $(1 \times 1)$ 


## 12 Downloaded from Stangeographysizs.com

(EC/NOVEMBER 2018)

4.4 Compare Berry dam on the satellite image with the same dam in block D6 on the topographic map. Mention TWO advantages of using the satellite image. (2 x 1) (2) 4.5 List any FOUR examples of data layers from the satellite image. You may also refer to blocks D5, D6 and D7 on the topographic map. (4 x 1) (4) 4.6 Mention any FOUR components of GIS. (4 x 1) (4) [16] TOTAL: 75 ROUGH WORK AND CALCULATIONS (NOTE: Do NOT detach this page from the question paper.)







# NATIONAL SENIOR CERTIFICATE

# **GRADE 10**

# **NOVEMBER 2018**

# GEOGRAPHY P2 MARKING GUIDELINE

MARKS: 75



This marking guideline consists of 12 pages.

### **RESOURCE MATERIAL**

- 1. An extract from the topographical map 3126 DD QUEENSTOWN
- 2. Orthophoto map 3126DD 13 QUEENSTOWN
- 3. **NOTE:** The resource material must be collected by the schools for their own use.

### **INSTRUCTIONS AND INFORMATION**

- 1. Write your NAME in the space provided on the cover page.
- 2. Answer ALL the questions in the spaces provided in this question paper.
- 3. You are provided with a 1:50 000 topographic map (3126 BB QUEENSTOWN) and an orthophoto map (3126 DD 13 QUEENSTOWN) of a part of the mapped area.
- 4. You must hand in the topographic map and the orthophoto map to the invigilator at the end of this examination session.
- 5. You must use the blank page at the back of this paper for all rough work. DO NOT detach this page from the question paper.
- 6. Show ALL calculations and formulae, where applicable. Marks will be awarded for these.
- 7. Indicate the unit of measurement in the final answer of calculations. Ensure that units are maintained throughout ALL your calculations and final answer.
- 8. You may use a non-programmable calculator.
- 9. The area demarcated in RED on the topographic map represents the area covered by the orthophoto map.
- 10. A glossary of some of the English and Afrikaans words and their translations appears below.

ENGLISH	AFRIKAANS
Landing strip	Vliegveld
Furrow	Voor
Caravan Park	Karavaanpark
Canal	Kanaal
Sewerage works	Rioolwerke
Golf Course	Gholfbaan
Excavation	Uitgrawing
Nature reserve	Natuurreservaat
Rifle Range	Skietbaan
Aerodrome	Vliegveld
Ravine	Kloof

### **GENERAL INFORMATION ON QUEENSTOWN**

**Queenstown**, now **Komani**<sup>[2]</sup>, is a town in the middle of the <u>Eastern Cape Province</u> of <u>South</u> <u>Africa</u>, roughly halfway between the smaller towns of <u>Cathcart</u> and <u>Sterkstroom</u>. It is currently the commercial, administrative and educational centre of the surrounding farming <u>district</u>.

Its former nickname, "Rose Capital of South Africa", comes from the large gardens and open places for flowers, (especially roses), in and around the town.



#### **QUESTION 1: MULTIPLE-CHOICE QUESTIONS**

The questions below are based on the 1 : 50 000 topographic map 3126DD QUEENSTOWN, as well as the orthophoto map of a part of the mapped area. Various options are provided as possible answers to the following questions. Choose the answer and write only the letter (A–D) in the block next to each question (1.1–1.15).

- 1.1. The map code of the topographic map of Queenstown indicates that the town lies on the ...
  - 31° E longitude and 26° N latitude А
  - 31° E longitude and 26° S latitude В
  - С 31° S latitude and 26° E longitude
  - 31° N latitude and 26° E longitude D
- 1.2 The contour interval of the orthophoto map is ...
  - А 20 m.
  - В 10 m.
  - С 15 m.
  - D 5 m.
- 1.3 The map scales that are evident on the topographic map is a ... scale.
  - А ratio and a word
  - В ratio and a friction
  - С line and ratio
  - D line and word
- 1.4 The index number of the map sheet northwest of Queenstown is ...
  - А 3126 DD.
  - В 3126 DD.
  - С 3125 CC.
  - D 3126 DA.
- 1.5 Queenstown is in the ... province.
  - А Eastern Cape
  - В Western Cape
  - С KwaZulu-Natal
  - D North West
- 1.6 The scale of the orthophoto map is ... than that of the topographic map.
  - А 5 times larger
  - В 5 times smaller
  - С 10 times larger
  - D 10 times smaller



Β

D



- The landform that is found at **K** in Block **I5** on the topographic map is 1.7
  - а... n A

D

- spur. B valley.
- С cliff.
  - flat-topped mountain.
- 1.8 The feature marked **R** on the topographic map is a ...
  - А rift valley.
  - В gorge.
  - С mountain pass.
  - D gap.
- 1.9 The grid reference / co-ordinates of trigonometrical station 184 in block H1 is . . .
  - А 31°57'40" S / 26°48'40" E.
  - 31°58'40" E / 26°48'16" S. В
  - С 31°59'30" S / 25°48'44" E.
  - D 34°02'40" E / 24°48'16" S.
- 1.10 The altitude recorded at the trigonometrical station in block E7 is ...
  - А 1 100 m.
  - В 199,0 m.
  - С 1 121,7 m.
  - D 349 m.
- The type of a river marked L in Block H9 is a ... 1.11
  - А perennial river.
  - В non-perennial river.
  - С dry water course.
  - D dry pan.
- 1.12 Which route would a motorist use to travel to Whittlesea from Queenstown?
  - А National road
  - В Arterial road
  - С Secondary road
  - D Other road

Please turn over







Β

Β



# 6 Downloaded from Stanmerer Anysias.com

1.13 The height of the road shown on the topographic map in block **F9** is 1 169,2 metres which is indicated by a ... on the map.

spot height

A

- Build trigonometrical station
- contour line
- D bench mark
- 1.14 Refer to block **G10** on the topographic map. To travel to East London from Queenstown, a motorist would take a(n)... direction.
  - A easterly
  - B southerly
  - C south easterly
  - D south westerly
- 1.15 How many kilometres would a motorist travel from block **J1** on the topographic map to Whittlesea?
  - A 48 km
  - B 26 km
  - C 32 km
  - D 20 km


(15 x 1) **[15]** 





D

### SECTION B: MAPWORK CALCULATIONS AND TECHNIQUES



2.2 Calculate the demarcated straight line distance in kilometres between number **7** and number **8** on the orthophoto map.

Measured map distance is 4,5 cm  
4,5 cm 
$$\sqrt[4]{x}$$
 0,1  $\sqrt[7]{}$   
= 0,45 km  $\sqrt[7]{}$ 

(4 x 1) (4)

- 2.3 Name the features at each of the following co-ordinates:
  - (a) 31°53'00" S 26<sup>0</sup> 51'30" E:

Excavated land /excavation  $\checkmark$ 


(b) 31°55'10" S 26<sup>0</sup> 56'10" E:

Wind pump / windmill  $\sqrt{}$ 

(2 x 1) (2)

2.4 Determine the true bearing from spot height 1496 to spot height 1414 in block **A5**.

True bearing = 
$$\frac{52^{\circ} \sqrt{\sqrt{(51^{\circ} - 53^{\circ})}}}{(2 \times 1)}$$
(2)
2.5 Use the information in QUESTION 2.4 above. Calculate the magnetic bearing for 2018.  
The present magnetic declination is 27°12'.
Magnetic bearing = 
$$\frac{True \ Bearing \ \sqrt{+Magnetic Declination} \ \sqrt{}}{= 52^{\circ} \ \sqrt{+27^{\circ} 12'} \ \sqrt{}}}$$
(5)





### **QUESTION 3: MAP AND PHOTO APPLICATION AND INTERPRETATION**

3.1		e TWO pieces of evidence from the map to prove that agriculture takes n block <b>G1</b> .	
		ated lands $$ pump for water source $$ (2 x 1)	(2)
3.2	Identify	y the following on the map:	(2)
	3.2.1	Recreational place in block D6/E6.	
		Golf course $\checkmark$	
	3.2.2	Tourist attraction site in block <b>C3</b> .	
		Lawrence De Lange Nature Reseve $\checkmark$	
3.3	Refer t	to slope no. <b>2</b> on the orthophoto map:	(2)
	3.3.1	Identify the slope of the land marked by no. 2 on the orthophoto map.	
		Gentle slope $\checkmark$	
	3.3.2	(1 x 1) Suggest a reason for your answer in QUESTION 3.3.1.	(1)
		The contours are far apart from each other $\sqrt{\sqrt{-1}}$ it is a flat area.	
		(1 x 2)	(2)
3.4	Write c	down the height of the contour line marked <b>5</b> on the orthophoto.	
	1 220 i	metres $$	
		(1 x 1)	(1)
3.5	Refer t	to the Ngcobo River in block <b>J9</b> .	
	3.5.1	In which direction does Ngcobo River flow?	
		South Easterly direction √	(
		(1 x 1)	(1)
	3.5.2	Suggest ONE reason to support your answer in QUESTION 3.5.1.	
		Contour lines that show higher altitude are on the North Western direction $\sqrt[]{4}$ Dam walls that are in Ngcobo River are in the South to South western direction $\sqrt[]{4}$ (Any ONE)	
		(1 x 2)	(2)

### 10 Downloaded from Stangeographysics.com

- (EC/NOVEMBER 2018)
- 3.6 Refer to block **H1** on the topographic map. Name FOUR sources/methods that farmers use to obtain water to irrigate their fields.
  - Windmills √ Reservoirs √ Furrows √ Dams √ Rivers √

(4 x 1) (4)

- 3.7 Orthophotomap.
  - 3.7.1 Choose the correct answer between brackets:

The orthophoto map is derived from a (high oblique/vertical aerial) photograph.

vertical aerial  $\sqrt{}$ 

- (1 x 1) (1)
- 3.7.2 What evidence is there on the map to support your answer in QUESTION 3.7.1?

Only the top side of the buildings appear on the orthophoto map.  $\sqrt{}$ 

- $(1 \times 1)$  (1)
- 3.8 Suggest ONE reason why the site on the map is suitable for building a town like Queenstown.

Gentle surface / Flat surface  $\sqrt{Along transport route } \sqrt{Along transport route }$ 

 $(1 \times 1)$  (1)

3.9 Refer to the topographic map in block **E1** and **G1**. State how authorities provide water in Queenstown and surroundings.

Reservoirs on the map $\sqrt[]{}$ Dams on the map $\sqrt[]{}$ Wind pumps and rivers $\sqrt[]{}$		
i	(3 x 2)	(6) <b>[24]</b>

### **QUESTION 4: GEOGRAPHIC INFORMATION SYSTEMS (GIS)**

4.1 Define the term geographic information systems.

It is a computer system used to capture, store, analyse and manipulate spatially referenced data  $\!$ 

(Concept)

(1 x 1) (1)

4.2 Refer to block **D6** on the topographic map and identify the dam. FIGURE:4.2 below is an extract of a satellite image showing Berry dam and surroundings in Queenstown.



FIGURE 4.2

[Source: https://www.google.com/maps]

Choose the correct term between brackets:

4.2.1 The satellite image in FIGURE 4.2 is data from (ground survey / remote sensing).

remote sensing  $\sqrt{}$ 

4.2.2 The satellite image mainly displays (attribute / spatial data).

\_spatial data  $\checkmark$ 

4.2.3 The satellite image is in a (raster / vector) format.

raster format  $\checkmark$ 

4.2.4 The image consists of (pixels / points, lines, polygons).

pixels √

(4 x 1) (4)

4.3 Define *remote sensing*.

Capturing information using sensor with a camera or satellite at a distance from the object without being in direct contact with the source. $\sqrt{(Concept)}$ 

# 12 Downloaded from Stangeographysics.com (EC/NOVEMBER 2018)

4.4	Compare Berry dam on the satellite image with the same dam in block <b>D6</b> on the topographic map. Mention TWO advantages of using the satellite image. It provides accurate data $$	
l	Provides real time data $$	_ (0)
h	(2 x 1)	(2)
4.5	List any FOUR examples of data layers from the satellite image. You may also refer to blocks <b>D5</b> , <b>D6</b> and <b>D7</b> on the topographic map.	
	Vegetation data layer $$ Relief data later $$ Road data layer $$ Water data layer $$	
4.6	(4 x 1) Mention any FOUR components of GIS.	(4)
	Hardware $$ Software $$ Data $$ People $$ Methods (Processes) $$ (Any FOUR)	
	(4 x 1)	(4) [16]
	TOTAL:	75

