



basic education

Department:
Basic Education
REPUBLIC OF SOUTH AFRICA

SENIOR CERTIFICATE EXAMINATIONS/ NATIONAL SENIOR CERTIFICATE EXAMINATIONS

GEOGRAPHY P1

MAY/JUNE 2024

Stanmorephysics.com MARKS: 150

TIME: 3 hours

This question paper consists of 19 pages.



INSTRUCTIONS AND INFORMATION

1. This question paper consists of TWO sections.

SECTION A

QUESTION 1: CLIMATE AND WEATHER (60)

QUESTION 2: GEOMORPHOLOGY (60)

SECTION B

QUESTION 3: GEOGRAPHICAL SKILLS AND TECHNIQUES (30)

2. Answer ALL THREE questions.
3. All diagrams are included in the QUESTION PAPER.
4. Leave a line between the subsections of questions answered.
5. Start EACH question at the top of a NEW page.
6. Number the answers correctly according to the numbering system used in this question paper.
7. Do NOT write in the margins of the ANSWER BOOK.
8. Draw fully labelled diagrams when instructed to do so.
9. Answer in FULL SENTENCES, except when you have to state, name, identify or list.
10. Units of measurement MUST be indicated in your final answer, e.g. 1020 hPa, 14 °C and 45 m.
11. You may use a non-programmable calculator.
12. You may use a magnifying glass.
13. Write neatly and legibly.

SPECIFIC INSTRUCTIONS AND INFORMATION FOR SECTION B


14. A 1 : 50 000 topographical map 2828CB CLARENS and a 1 : 10 000 orthophoto map 2828 CB 7 MAGDALENAS RUST are provided.
15. The area demarcated in RED/BLACK on the topographical map represents the area covered by the orthophoto map.
16. Show ALL calculations. Marks will be allocated for steps in calculations.
17. You must hand in the topographical and orthophoto map to the invigilator at the end of the examination.



SECTION A: CLIMATE AND WEATHER AND GEOMORPHOLOGY

QUESTION 1: CLIMATE AND WEATHER

1.1 The questions below refer to the synoptic weather map. Various options are provided as possible answers to the questions. Choose the answer and write only the letter (A–D) next to the question numbers (1.1.1 to 1.1.7) in the ANSWER BOOK, e.g. 1.1.8 D.



[Adapted from www.sa.weathersa.co.za]

1.1.1 The stable weather conditions over the interior of South Africa are due to the well-developed ... high-pressure cell.

- A Mauritius
- B South Atlantic
- C South Indian
- D Kalahari

1.1.2 The dew point temperature at weather station A is ... °C.

- A 8
- B -8
- C -17
- D 25

1.1.3 The atmospheric air pressure at weather station B is ... hPa.

- A 1014
- B 1016
- C 1018
- D 1020





1.1.4

The low-pressure cell at **C** is known as a ... low.

- A cut-off
- B thermal
- C continental
- D coastal

1.1.5

The type of precipitation found at town **D** is ...

- A fog.
- B dew.
- C hail.
- D rain.

1.1.6

The type of precipitation (answer to QUESTION 1.1.5) is caused by ... winds, which consist of ... air.

- (i) offshore
- (ii) onshore
- (iii) cold, dry
- (iv) warm, moist

- A (i) and (iii)
- B (i) and (iv)
- C (ii) and (iii)
- D (ii) and (iv)

1.1.7

The evidence of berg wind conditions at weather station **E** is ... and ...



- (i) clear skies
- (ii) gentle winds
- (iii) large temperature range
- (iv) south-easterly winds

- A (i) and (iii)
- B (ii) and (iv)
- C (iii) and (iv)
- D (i) and (ii)


(7 x 1) (7) =



1.2 The questions below refer to valley and urban climates. Complete the statements in COLUMN A with the options in COLUMN B. Write only **Y** or **Z** next to the question numbers (1.2.1 to 1.2.8) in the ANSWER BOOK, e.g. 1.2.9 Y.


COLUMN A		COLUMN B	
1.2.1	Slopes in a valley facing the equator are warmer because the area covered by insolation is ...	Y	smaller
		Z	greater
1.2.2	Anabatic winds are ... winds.	Y	downslope
		Z	upslope
1.2.3	Anabatic winds ... pollutants found in the valley.	Y	disperse
		Z	trap
1.2.4	Type of precipitation found in a valley, when dew point temperature is above 0 °C	Y	fog
		Z	frost
1.2.5	Winds at A will be ... than winds at B in the sketch below.	Y	weaker
		Z	stronger
 <p>[Source: Examiner's own sketch]</p>			
1.2.6	Main factor contributing to the heat island effect in the sketch below	Y	multiple reflections
		Z	height of buildings
 <p>[Source: Examiner's own sketch]</p>			



<p>1.2.7</p>	<p>The sketch below illustrates a pollution dome during the ...</p>  <p>[Source: Examiner's own sketch]</p>	<p>Y day Z night</p>
<p>1.2.8</p>	<p>The shape of the pollution dome (in QUESTION 1.2.7) is because of ... convection.</p>	<p>Y high Z low</p>

(8 x 1) (8)

1.3 Refer to the satellite image below on mid-latitude cyclones.



[Adapted from <https://afriwx.co.za/satellite/cold-front-monitor-infrared-satellite->]

- 1.3.1 A is a (low/high) pressure cell. (1 x 1) (1)
- 1.3.2 Give evidence from the satellite image for your answer to QUESTION 1.3.1. (1 x 2) (2)
- 1.3.3 Describe the rainfall usually associated with the cloud type at the warm front. (1 x 2) (2)
- 1.3.4 Give a reason why the interior of South Africa experiences clear skies. (1 x 2) (2)
- 1.3.5 In a paragraph of approximately EIGHT lines, explain how the approaching cold front changes the cloud cover and winds experienced at area B. (4 x 2) (8)



1.4 Refer to the extract and map below on Tropical Cyclone Freddy.


IMPACT OF TROPICAL CYCLONE FREDDY

According to the Australian Bureau of Meteorology and the US Joint Typhoon Warning Centre, Tropical Cyclone Freddy formed on 6 February 2023, in the Indian Ocean northwest of the Australian coast. From its birthplace near Australia, it went from east to west across the entire South Indian Ocean towards Africa and travelled approximately 8 000 kilometres.

Tropical Cyclone Freddy hit Madagascar on 21 February and Mozambique on 24 February. The impact of heavy rainfall and strong winds in Mozambique were more severe than in Madagascar. This included the damage to infrastructure.

On 5 March Tropical Cyclone Freddy turned in a north-westerly direction, hitting Mozambique for a second time on 11 March. This path is rare (unusual). As it moved in a north-westerly direction, the system was moving very slowly and this gave it plenty of time to draw in large masses of water from the sea. This resulted in continuous heavy rain to affected regions, often causing widespread flooding.

Tropical Cyclone Freddy reached Malawi as a tropical depression, but still generated heavy rains and high wind speeds.



[Adapted from <https://www.google.com/search?q=Path+of+tropical+cyclone+freddy>]

Refer to the extract.

- 1.4.1 On which date did Tropical Cyclone Freddy hit Madagascar? (1 x 1) (1)
- 1.4.2 Why was the impact of Tropical Cyclone Freddy more severe (destructive) in Mozambique than in Madagascar? (1 x 2) (2)






Refer to the path of Tropical Cyclone Freddy.

- 1.4.3 Give TWO reasons why Tropical Cyclone Freddy changed from a tropical cyclone to a tropical depression from 21 February to 22 February. (2 x 2) (4)
- 1.4.4 Why is the north-westerly path taken by Tropical Cyclone Freddy considered rare (unusual)? (1 x 2) (2)
- 1.4.5 How did the Mozambique channel influence the increase in intensity (strength) of Tropical Cyclone Freddy? (1 x 2) (2)
- 1.4.6 Explain how damage to infrastructure caused by Tropical Cyclone Freddy could have a negative impact on people in the affected area. (2 x 2) (4)

1.5 Refer to the sketch below, which illustrates the development of line thunderstorms during summer.



[Source: Examiner's own sketch]





- 1.5.1 Identify the front at **A**. (1 x 1) (1)
- 1.5.2 Give the wind direction at **B** and **C**. (2 x 1) (2)
- 1.5.3 State the moisture content of air masses **B** and **C**. (2 x 1) (2)
- 1.5.4 Explain the formation of line thunderstorms over the interior of South Africa. (3 x 2) (6)
- 1.5.5 What is the positive impact of the heavy rainfall associated with line thunderstorms on the physical (natural) environment? (2 x 2) (4)

[60]



QUESTION 2: GEOMORPHOLOGY

2.1 Complete the statements in COLUMN A with the options in COLUMN B. Write only **Y** or **Z** next to the question numbers (2.1.1 to 2.1.7) in the ANSWER BOOK, e.g. 2.1.8 **Y**.

COLUMN A		COLUMN B	
2.1.1	Dendritic stream pattern	Y	
		Z	
2.1.2	Stream pattern develops on a dome	Y	trellis
		Z	radial
2.1.3	Stream pattern is characterised by short tributaries joining the main stream at right angles	Y	rectangular
		Z	trellis
2.1.4	The underlying rock structure of the stream pattern below has ...	Y	cracked and jointed rock
		Z	hard and soft rock
2.1.5	Drainage density of a river system flowing in areas of high permeability will be ...	Y	high
		Z	low
2.1.6	The stream order at X	Y	2
		Z	3
2.1.7	Characteristics of a first-order stream in a drainage basin	Y	straight and short
		Z	straight and long


(7 x 1)

(7)



2.2 Various options are provided as possible answers to the following questions. Choose the answer and write only the letter (A–D) next to the question numbers (2.2.1 to 2.2.8) in the ANSWER BOOK, e.g. 2.2.9. D.

Refer to the sketch below on river capture (stream piracy) to answer QUESTIONS 2.2.1 to 2.2.6.



[Source: Examiner's own sketch]

2.2.1 The sketch illustrates a/an ...

- A longitudinal profile.
- B plan view.
- C oblique view.
- D cross profile.





2.2.2

River capture has taken place because tributary **P** flows on ... rock and over a ... gradient than river **Q**.

- (i) softer
- (ii) harder
- (iii) gentler
- (iv) steeper

- A (i) and (iii)
- B (i) and (iv)
- C (ii) and (iii)
- D (ii) and (iv)

2.2.3

Tributary **P**, as illustrated in the sketch, is a ... stream.

- A captured
- B captor
- C misfit
- D beheaded

2.2.4

The process in which tributary **P** lengthened its channel by cutting through the watershed is known as ...

- A river rejuvenation.
- B lateral erosion.
- C river capture.
- D headward erosion.

2.2.5

Feature **T** is known as a/an ...

- A wind gap.
- B elbow of capture.
- C knickpoint waterfall.
- D gorge.

2.2.6

River **R** will have a ... drainage basin and a/an ... velocity after river capture.

- (i) smaller
- (ii) larger
- (iii) increase in
- (iv) decrease in

- A (i) and (iii)
- B (i) and (iv)
- C (ii) and (iii)
- D (ii) and (iv)





Refer to area **U** on the sketch, where river rejuvenation occurred, to answer QUESTIONS 2.2.7 and 2.2.8.

2.2.7

River rejuvenation occurred due to a/an... and ... erosion that took place.

- (i) increased volume of water
- (ii) isostatic uplift of the land
- (iii) vertical
- (iv) lateral

- A (i) and (iii)
- B (i) and (iv)
- C (ii) and (iii)
- D (ii) and (iv)

2.2.8


The resultant landform most likely to form after river rejuvenation in area **U** is a/an ...

- A gorge.
- B interlocking spur.
- C incised meander.
- D rapid.

(8 x 1) (8)



2.3 Refer to longitudinal profiles **X** and **Y** below.




[Source: Examiner's own sketches]

- 2.3.1 What is a *longitudinal profile*? (1 x 2) (2)
- 2.3.2 **A** is known as the (temporary/permanent) base level of erosion. (1 x 1) (1)
- 2.3.3 Give an example of a natural temporary base level of erosion that could develop at the knickpoint. (1 x 1) (1)
- 2.3.4 Which profile, **X** or **Y**, is graded? (1 x 1) (1)
- 2.3.5 Give a reason for your answer to QUESTION 2.3.4. (1 x 2) (2)
- 2.3.6 Explain how the profile (answer to QUESTION 2.3.4) developed. (2 x 2) (4)
- 2.3.7 Draw a rough cross-profile of the river valley at **B**. (2 x 1) (2)
- 2.3.8 Give a reason for the shape of the cross-profile drawn in QUESTION 2.3.7. (1 x 2) (2)



2.4 Refer to the sketch below of a fluvial landform/feature.



[Source: <https://www.internetgeography.net/flashcard/>]

- 2.4.1 The fluvial landform/feature illustrated in the sketch is a (braided stream/meander). (1 x 1) (1)
- 2.4.2 Give a characteristic of the river in the lower course in which this fluvial landform/feature (answer to QUESTION 2.4.1) developed. (1 x 1) (1)
- 2.4.3 Explain how gradient influenced the development of the fluvial landform/feature illustrated in the sketch. (2 x 2) (4)
- Refer to cross-sections **X** and **Y** and the fluvial landform/feature above.
- 2.4.4 Identify slopes **A** and **B**. (2 x 1) (2)
- 2.4.5 Which cross-section (**X** or **Y**) represents the line between **A** and **B**? (1 x 1) (1)
- 2.4.6 Explain the processes involved in the formation of slopes **A** and **B**. (3 x 2) (6)



2.5 Refer to the extract below on catchment and river management.

HAMMANSKRAAL WATER CRISIS EXPOSES YEARS OF NEGLECT

The situation in Hammanskraal may be shocking, but it is not surprising. People have had a decade-long struggle with water and sanitation issues, serving as a clear example of what happens when unplanned development occurs.

The water supply network in Hammanskraal needs to be upgraded and equipped to meet the growing demand. A significant portion of the water infrastructure is in a state of disrepair (poor condition), leading to frequent leaks and disruptions in the water supply. Over the years, several concerns have been raised, further highlighting the extent of the crisis. The Rooiwal water-treatment plant has been failing to treat the waste water and instead it is dumping raw or semi-treated waste water into the Apies River, which supplies Hammanskraal. Residents have repeatedly described the water in Hammanskraal as 'brown and slimy'. In 2019, the South African Human Rights Commission declared the water unfit for human consumption. Adding to the residents' plight, the City of Tshwane, in August 2021, shut down the Temba water purification plant, leaving Hammanskraal without access to water for a week.

[Adapted from <https://mg.co.za/environment/2023-05-24-hammanskraal-water-crisis>]

- 2.5.1 In which province is Hammanskraal located? (1 x 1) (1)
- 2.5.2 What is meant by 'unplanned development' as mentioned in the extract? (1 x 2) (2)
- 2.5.3 Give TWO consequences of 'unplanned development' according to the extract. (2 x 1) (2)
- 2.5.4 How did the Apies River become polluted? (2 x 1) (2)
- 2.5.5 In a paragraph of approximately EIGHT lines, suggest strategies the local municipality can implement (put in place) to reduce pollution of the Apies River. (4 x 2) (8)

[60]


TOTAL SECTION A: 120



SECTION B

QUESTION 3: GEOGRAPHICAL SKILLS AND TECHNIQUES

GENERAL INFORMATION ON CLARENS



Coordinates: 28°31'S; 28°25'E

Clarens is a small town situated in the Thabo Mofutsanyana region of the Free State in South Africa.

The Rooiberg mountain range encompasses the area and further towards the south-east are the Maluti Mountains. The area is surrounded by sandstone cliffs with their multi-coloured layers – the horizontal strata is a characteristic feature of the area.

In Clarens and surrounding areas, the climate is warm and temperate. Days throughout the year are usually sunny and bright and winter night temperatures have been known to drop to -14 °C.

Rainfall occurs mainly in the summer months and thunderstorms are mostly of a very short duration.

[Adapted from [https://en.wikipedia.org/wiki/Clarens, South Africa](https://en.wikipedia.org/wiki/Clarens,_South_Africa)]

The following English terms and their Afrikaans translations are shown on the topographical map:

ENGLISH

Diggings
River

AFRIKAANS

Uitgrawings
Rivier



3.1 **MAP SKILLS AND CALCULATIONS**




3.1.1 The index contour line in block **A1** on the orthophoto map is ... metres.

- A 1822
 - B 1835
 - C 1840
 - D 1842
- (1 x 1) (1)

3.1.2 The grid reference for spot height 1872 in block **B1** on the topographical map is ...

- A 28°30'32"S; 28°33'15"E
 - B 28°33'32"S; 28°17'15"E
 - C 28°32'32"S; 28°18'15"E
 - D 28°34'32"S; 28°15'15"E
- (1 x 1) (1)

The illustration below represents the average gradient between **6** (block **D1**) and **7** (block **E2**) on the orthophoto map.



- 3.1.3 (a) Determine the vertical interval (VI) of the illustrated gradient.
 (1 x 1) (1)
- (b) Is the illustrated average gradient between **6** and **7** on the orthophoto map gentle or steep?
 (1 x 1) (1)
- (c) State how the illustrated average gradient influenced the human activities between **6** and **7** on the orthophoto map.
 (2 x 1) (2)

Refer to spot height 1802 in block **E4** and trigonometrical station 182 in block **E5** on the topographical map.

- 3.1.4 (a) Determine the true bearing (TB) from spot height 1802 to trigonometrical station 182.
 (1 x 1) (1)
- (b) Calculate the magnetic declination (MD) for 2024 if the total change is 44' westwards.
 (2 x 1) (2)
- (c) Determine the magnetic bearing (MB) from spot height 1802 to trigonometrical station 182.
 Formula: **MB = TB + MD** (1 x 1) (1)



3.2 MAP INTERPRETATION



Refer to the topographical map.

3.2.1 What is the most likely reason for the difference in average temperature between spot height 2011 in block **A2** and trigonometrical station 181 in block **E3**, as indicated in the table below?

FEATURE	AVERAGE TEMPERATURE (°C)
Spot height	6
Trigonometrical station	14

- A Latitude
- B Altitude
- C Slopes
- D Valleys (1 x 1) (1)

3.2.2 The rainfall in the mapped area is seasonal. Give evidence from block **E5** on the topographical map to support this statement. (1 x 1) (1)

Refer to block **E4** on the orthophoto map.

3.2.3 At what time (morning or afternoon) was the photograph taken? (1 x 1) (1)

3.2.4 Give a reason for your answer to QUESTION 3.2.3. (1 x 2) (2)

Refer to the topographical map.

3.2.5 State the purpose of the row of trees in blocks **A5** and **B5**. (1 x 1) (1)

3.2.6 The landform **8** to **9** in block **B4** on the orthophoto map is a ... and is known as a/an ...

- (i) spur
 - (ii) valley
 - (iii) watershed
 - (iv) interfluve
- A (i) and (iii)
 - B (ii) and (iii)
 - C (i) and (iv)
 - D (ii) and (iv) (1 x 1) (1)

Refer to streams **F** in block **A2** and **G** in block **D1** on the topographical map.

3.2.7 In which direction does stream **F** in block **A2** flow? (1 x 1) (1)

3.2.8 Give a reason for your answer to QUESTION 3.2.7. (1 x 2) (2)

3.2.9 How has the stream at **G** in block **D1** made cultivation possible? (1 x 2) (2)



3.3 **GEOGRAPHICAL INFORMATION SYSTEMS (GIS)**




3.3.1 The dam at **H** in block **B3** on the topographical map is a ... feature and is considered to be ... water.

- (i) polygon
- (ii) line
- (iii) perennial
- (iv) non-perennial

- A (i) and (iii)
- B (i) and (iv)
- C (ii) and (iii)
- D (ii) and (iv)

(1 x 1) (1)

Refer to blocks **C4** and **C5** on the orthophoto map together with the sketch below on remote sensing.



[Examiner's own sketch]

3.3.2 Identify the remote sensing device in the sketch. (1 x 1) (1)

Remote sensing was used to generate the image (photograph) used to create the orthophoto map.

3.3.3 Is the resolution of the orthophoto map high or low? (1 x 1) (1)

3.3.4 Give a reason for your answer to QUESTION 3.3.3. (1 x 2) (2)

3.3.5 The cost of developing infrastructure in blocks **C4** and **C5** will be (more/less) expensive. (1 x 1) (1)

3.3.6 Give a reason for your answer to QUESTION 3.3.5. (1 x 2) (2)


TOTAL SECTION B: 30
GRAND TOTAL: 150





basic education

Department:
Basic Education
REPUBLIC OF SOUTH AFRICA



SENIOR CERTIFICATE EXAMINATIONS/ NATIONAL SENIOR CERTIFICATE EXAMINATIONS

GEOGRAPHY P1
MAY/JUNE 2024
MARKING GUIDELINES

MARKS: 150

Name	Designation	Signature	Date
Mrs. ZPL SHABALALA	Umalusi External Moderator		16/05/2024
Mr. GD SAMAAI	Umalusi External Moderator		16/05/2024
Ms. T MAGSON	DBE Internal Moderator		16/05/2024
Mr. R DAVECHAND	DBE Internal Moderator		16/05/2024

These marking guidelines consist of 13 pages.

PRINCIPLES FOR MARKING GEOGRAPHY- NSC NOVEMBER 2023 AND SC JUNE 2024

The following marking principles have been developed to standardise marking in all provinces.

MARKING



- ALL questions MUST be marked, irrespective of whether it is correct or incorrect
- Where the maximum marks have been allocated for a particular question, place an over the remainder of the text to indicate the maximum marks have been achieved.
- A clear, neat tick must be used: ✓
 - If ONE mark is allocated, ONE tick must be used: ✓
 - If TWO marks are allocated, TWO ticks must be used: ✓✓
 - The tick must be placed at the FACT that a mark is being allocated for
 - Ticks must be kept SMALL, as various layers of moderation may take place
- Incorrect answers must be marked with a clear, neat cross: ✕
 - Use MORE than one cross across a paragraph/discussion style questions to indicate that all facts have been considered
 - Do NOT draw a line through an incorrect answer
 - Do NOT underline the incorrect facts

For the following action words, ONE-word answers are acceptable: **list, name, state, identify**

For the following action words, a FULL sentence must be written: **describe, explain, evaluate, analyse, suggest, differentiate, distinguish, define, discuss, why, how**

The following action words need to be read within its context to determine whether a ONE-word answer or FULL sentence is required: **provide, what, tabulate and give**

NOTE THE FOLLOWING

- If the numbering is incorrect or left out, as long as the sequence of answers to questions is followed candidates can be credited
- Spelling errors if recognisable, award the marks provided the meaning is correct.
- Be sensitive to the sense of an answer, which may be stated in a different way
- In questions where a letter is the accepted response, but the learner writes the actual answer- award marks.
- There will be additional guidelines for the marking of certain questions.

TOTALLING AND TRANSFERRING OF MARKS

- Each sub-question must be totalled
 - Questions in Section A has five sub-sections, therefore five sub-totals per question required. Section B has three sub-sections and three sub-totals.
 - Sub-section totals to be written in the right-hand margin at the end of the sub-section and underlined
 - Sub-totals must be written legibly
 - Leave room to write in moderated marks on different levels
- Total sub-totals and transfer total to top left-hand margin next to question number
- Transfer total to cover of answer book

QUESTION 1


- 1.1.1 A (South Atlantic High) (1) ✓
- 1.1.2 B (Kalahari High) (1) ✓
- 1.1.3 B (South Indian) (1) ✗

2

- 1.2.1 Melting snow ✓
- 1.2.2 Mouth ✗
- 1.2.3 Third order ✓

2

- 1.3.1 Katabatic ✗
- 1.3.2 1 occurs during the day while 2 occurs at night ✓✓
- 1.3.3 Cold air rolls down into the valley and forms an inversion ✓✓



Air flows downslope ✓✓

6

- 1.4.1 Shape of front concave ✗
Steep gradient of front ✓

- 1.4.2 Warm air undercuts the cold air ✗

- 1.4.3 Air behind the cold front is colder than the air in front. Cold air moves faster than warm air ahead of it. Cold front catches up with the warm front. ✓✓

7

- 1.5.1 (a) A river that only flows all year round ✗

- (b) The river channel is wide ✗

- (c) Regularity of rainfall and the soil type over which the streams flow. ✓✓

- 1.5.2 Gauteng and the Eastern Cape ✗


- 1.5.3 The cost of food production will increase as it is costly to buy purified water. Farmers will have to buy more chemicals to purify water. Chemicals cost a lot and this will increase production costs. It will be costly to purify water for use in electricity generation. These costs will be included in electricity prices. Costs will increase the price of electricity during production. There will be less clean water to generate hydro-electricity. ✓✓


13




SECTION A: CLIMATE AND WEATHER AND GEOMORPHOLOGY


QUESTION 1: CLIMATE AND WEATHER

- 
- 1.1 1.1.1 D (1)
- 1.1.2 B (1)
- 1.1.3 C (1)
- 1.1.4 D (1)
- 1.1.5 A (1)
- 1.1.6 C (1)
- 1.1.7 A (1) (7 x 1) (7)
- 1.2 1.2.1 Y (1)
- 1.2.2 Z (1)
- 1.2.3 Y (1)
- 1.2.4 Y (1)
- 1.2.5 Z (1)
- 1.2.6 Y (1)
- 1.2.7 Z (1)
- 1.2.8 Z (1) (8 x 1) (8)



	1.3	1.3.1	low (1)	(1 x 1)	(1)
		1.3.2	Clockwise circulation (indicated by the clouds) (2) In the centre of mid-latitude cyclone (2) Presence of the cold and warm fronts (2) Condensation/cloud formation (2) [ANY ONE]	(1 x 2)	(2)
		1.3.3	Light (continuous) rainfall (2)	(1 x 2)	(2)
		1.3.4	(Well-developed) Kalahari high pressure system (2) The interior is dominated by sinking air from the Kalahari HP (2) Strong subsidence of air (2) The area is in the warm sector of the mid latitude cyclone (2) [ANY ONE]	(1 x 2)	(2)
		1.3.5 (P)	Cloud cover Results in rapid upliftment of warm moist air (2) Rising warm moist air will cool and condense (2) Increase in condensation will result in an increase in cloud cover/overcast/ cumulonimbus clouds. (2) Winds Steep pressure gradient will cause stronger/gusty winds (2) The clockwise circulation will influence the wind direction (2) Backing of winds due to the change in position of the system (2) [ANY FOUR- MUST REFER TO BOTH CLOUD COVER AND WINDS]	(4 x 2)	(8)
<p>INSTRUCTIONS FOR PART MARKING</p> <p>Cloud cover Results in rapid upliftment (1) Rising warm moist air (1) Increase in condensation (1)</p> <p>Winds Steep pressure gradient (1) The clockwise circulation (1) Backing of winds (1) [MAXIMUM OF FOUR MARKS-BOTH MUST BE MENTIONED]</p>					
1.4	1.4.1	21 February (1)		(1 x 1)	(1)
	1.4.2	Mozambique was affected twice by tropical cyclone Freddy/ Freddy hit Mozambique on the 24 th of Feb and 11 th of March (2)		(1 x 2)	(2)





1.4.3 Give TWO reasons for it changing from a tropical cyclone to a tropical depression

It moved over land (accept Madagascar) (2)
Reduced moisture content/cut off from its source of moisture (2)
Frictional drag (slowed wind speed) (2)
Reduction in latent heat (2)
[ANY TWO] (2 x 2) (4)

1.4.4 Why is the NW path unusual

Tropical cyclones generally move from east to west/ south westerly direction (2)
Tropical cyclones usually turn in an easterly direction (2)
Driven by the easterly winds (2)
[ANY ONE] (1 x 2) (2)

1.4.5 How did the Mozambique channel influence the increase in the intensity of TC


There will be increase in evaporation (2)
It will increase the latent heat (2)
Less friction over the water surface (2)
[ANY ONE] (1 x 2) (2)

1.4.6 Explain how Damage to infrastructure could have a negative impact on people F + Q

Damage to power lines will result in no electricity supply (2)
Damage to water systems will result in no water supply (2)
Damage to transport infrastructure will decrease accessibility (2)
Damage to building infrastructure will leave people stranded /destitute (2)
Damage to telecommunications systems will decrease channels of communication (2)
Damage to sewage infrastructure will result in water becoming contaminated (2)
Excessive dam silting will decrease water accessibility (2)
Breaking of dam walls resulting in floods which destroy homes (2)
[ANY TWO- ACCEPT EXAMPLES] (2 x 2) (4)

INSTRUCTIONS FOR PART MARKING

Damage to power lines (1)
Damage to water systems (1)
Damage to transport infrastructure (1)
Damage to building infrastructure (1)
Damage to telecommunications systems (1)
Damage to sewage infrastructure (1)
Excessive dam silting (1)
Breaking of dam walls (1)
[MAXIMUM OF TWO MARKS]




1.5	1.5.1	Moisture front (1)	(1 x 1)	(1)
	1.5.2	B North-east (1) C South-west (1)	(2 x 1)	(2)
	1.5.3	B Moist air (1) C Dry air (1)	(2 x 1)	(2)
	1.5.4	Warm moist and cold dry air to converge over the interior (2) A moisture front (trough) develops (2) Cold air forces warm air to rise parallel to the moisture front (2) Rising moist air cools condenses (2) Cumulonimbus clouds form (2) [ANY THREE]	(2) (2) (2) (2) (2) (3 x 2)	(2) (6)
	1.5.5	Water supply for natural vegetation (2) Replenish the soil fertility (nitrogen fixing) (2) Sufficient water for wildlife (2) Level of water table will be higher (accept examples) (2) Biodiversity increases (accept examples)(2) Habitats are restored (accept examples) (2) Ecosystems have sufficient water (2) Replenish/ purify natural water systems (accept examples) (2) [ANY TWO]	(2) (2) (2) (2) (2) (2) (2) (2) (2 x 2)	(2) (4) [60]





QUESTION 2: GEOMORPHOLOGY

2.1	2.1.1	Z (1)		
	2.1.2	Z (1)		
	2.1.3	Z (1)		
	2.1.4	Y (1)		
	2.1.5	Z (1)		
	2.1.6	Z (1)		
	2.1.7	Y (1)	(7 x 1)	(7)



2.2	2.2.1	B (1)		
	2.2.2	B (1)		
	2.2.3	B (1)		
	2.2.4	D (1)		
	2.2.5	B (1)		
	2.2.6	C (1)		
	2.2.7	A (1)		
	2.2.8	C (1)		(8 x 1) (8)
2.3	2.3.1	The side view of the river from source to mouth (2)		
	Longitudinal profile	[CONCEPT] SUGGESTION FOR PART MAKING The side view of a river (1)	(1 x 2)	(2)
	2.3.2	Permanent (1)	(1 x 1)	(1)
	2.3.3	Waterfall (1)	(1 x 1)	(1)
	2.3.4	Y (1)	(1 x 1)	(1)
	2.3.5	It has a smooth (concave) shape. (2)		
Give a reason for your answer	All temporary base levels are removed (accept examples) (2) Rate of erosion and deposition is in equilibrium (2)			
	[ANY ONE]	(1 x 2)	(2)	
2.3.6	Vertical erosion eroded the knickpoint (accept examples) (2)			
Explain how the profile developed	Headward erosion removed knickpoint (accept examples) (2)			
F+Q	Lateral erosion widens the river (2)			
	Debris is deposited in the lower course (accept examples) (2)			
	A state of equilibrium between erosion and deposition (2)			
	[ANY TWO]	(2 x 2)	(4)	
INSTRUCTIONS FOR PART MARKING				
Vertical erosion (1)				
Headward erosion (1)				
Lateral erosion (1)				
Debris is deposited (1)				
A state of equilibrium (1)				
[MAXIMUM OF TWO MARKS]				





2.3.7
Draw a rough cross-profile of river valley B

steep slopes (1)
shape of the valley (1)

(2 x 1) (2)

2.3.8
Give a reason for the shape
Vertical/Downward erosion (2)
It's in the upper course of river (2)
[ANY ONE]

(1 x 2) (2)

2.4
2.4.1 Meander (1)

(1 x 1) (1)

2.4.2
Give ONE characteristic of the river in the lower course
Flat (accept gentle/gradual) (1)
Slow stream flow (1)
Flooding (1)
Deposition (1)
Laminar flow (1)
Meandering (1)
Ox-bow lakes (1)
Levees (1)
Deltas (1)
Distributaries (1)
Braided streams (1)
River mouth (1)
Lateral erosion (1)
Wider river valley (1)
Shallow river channel (1)
[ANY ONE]

(1 x 1) (1)

2.4.3
Explain how gradient influenced the dev of the fluvial landform
Gentle gradient caused the river to flow slower (2)
River started to bend and lateral erosion occurred (2)
Erosion on the outer bank and deposition on the inner bank (2)
[ANY TWO]


(2 x 2) (4)


2.4.4
Identify slope A and B
A: Slip off (accept convex) (1)
B: Undercut slope (accept concave) (1)

(2 x 1) (2)

2.4.5 Y (1)

(1 x 1) (1)





2.4.6

Explain the processes involved in the formation of slopes A and B

SLOPE A

- Slow flowing water (2)
- Results in deposition (2)
- Creating a slip-off slope (2)

SLOPE B

- Fast flowing water (2)
- Resulting in undercutting/erosion (2)
- Continuous undercutting takes place (2)
- Causes the bank to collapse forming a river cliff/undercut slope (2)

[ANY THREE- MUST MENTION BOTH SLOPE A AND B] (3 x 2) (6)

2.5

2.5.1

Gauteng (1) (1 x 1) (1)

2.5.2

Settlement growth without proper planning for supply and maintenance of water resources/sanitation (2) (1 x 2) (2)

INSTRUCTION FOR PART MARKING

Settlement growth without proper planning (1)

2.5.3

Give TWO consequences of unplanned development


- People struggling with water (1)
- Sanitation issues (1)
- Water infrastructure in a state of disrepair (poor condition) (1)
- Frequent leaks (1)
- Disruptions in the water supply (1)
- Water declared unfit for human consumption (1)
- Inaccessibility of water for a week. (1)
- Water is 'brown and slimy' (1)
- Shutting down of Temba Waste Plant (1)


[ANY TWO] (2 x 1) (2)

2.5.4

How did Apies river become polluted

Failure of the Rooiwal water treatment plant to treat the waste water (1)
Dumping of raw/semi-treated waste water by Rooiwal water into the river (1) (2 x 1) (2)






2.5.5 (P)
Suggest strategies the local municipality can implement to reduce pollution of Apies river

- Hold the Rooiwal treatment plant accountable (2)
- Implement legislation (2)
- Impose fines (2)
- Plan/control developments in the area (2)
- Limit deforestation (2)
- Promote afforestation (2)
- Buffering of the Apies river catchment area (2)
- Manage dumping of industrial waste (accept examples) (2)
- Patrollers monitor the rivers (2)
- Repair/upgrade/equip water supply network (2)
- Maintain/service the Rooiwal water treatment plant (2)
- Relocate encroached settlements away from the Apies river (2)
- Provide incentives (accept examples) (2)
- Create awareness of maintaining the water quality (2)
- Educate the community (2)
- Ensure stormwater management (2)
- Ensure conservation of wetlands (2)
- Proper land use planning (accept examples) (2)
- Regular environmental impact assessment studies (EIA) (2)
- Place sufficient refuse bins in the area (2)

[ANY FOUR]

(4 x 2) (8)
[60]



TOTAL SECTION A: 120




SECTION B

QUESTION 3: GEOGRAPHICAL SKILLS AND TECHNIQUES

3.1	3.1.1	C (1)	(1 x 1)	(1)
	3.1.2	B (1)	(1 x 1)	(1)
	3.1.3	(a) 1645m-1642m = 3m (1)	(1 x 1)	(1)
		(b) Gentle (1)	(1 x 1)	(1)
	State how	(c) Cultivation/(crop) farming (is possible) (1) Construction of roads (is easier) (1)	(2 x 1)	(2)
	3.1.4	(a) 55° (1) (Range: 54°-56°)	(1 x 1)	(1)
	TWO OPTIONS	(b) 22°42' + (1)44' <u>22°86'</u> = 23°26' WTN (1)		
		OR		
		22°24' + (1)44' <u>22°68'</u> = 23° 08' WTN (1)	(2 x 1)	(2)
		(c) 55° + 23°26' = 78° 26' (1) (Range: 77°26'-79°26')		
		OR		
		55° + 23°08' = 78° 08' (1) (Range: 77°08'-79°08')	(1 x 1)	(1)
3.2	3.2.1	B (1)	(1 x 1)	(1)
	3.2.2	Non perennial rivers (1) Presence of a reservoirs (1) [ANY ONE]	(1 x 1)	(1)
	3.2.3	Morning (1)	(1 x 1)	(1)
	3.2.4	The shadows fall to the south-west (2)	(1 x 2)	(2)
	3.2.5	Windbreak (1) Row of trees Reduces soil erosion (1) [ANY ONE]	(1 x 1)	(1)
	3.2.6	C (1)	(1 x 1)	(1)
	3.2.7	South-westerly (1)	(1 x 1)	(1)





	3.2.8	The height decreases in a south-westerly direction (2)		
	Give a reason for your answer	The acute angle formed by the joining of the tributaries points in a south-westerly direction (2)		
		[ANY ONE]	(1 x 2)	(2)
	3.2.9	Water is available (2)		
	How has the stream at G made cultivation possible	Irrigation is possible (2)		
		Deposition of silt (fertile soil) (2)		
		Valley has been widened (2)		
		[ANY ONE]	(1 x 2)	(2)
3.1	3.3.1	A (1)	(1 x 1)	(1)
	3.3.2	Satellite (1)	(1 x 1)	(1)
	3.3.3	High (1)	(1 x 1)	(1)
	3.3.4	Features can be clearly seen (2)		
	Give a reason for your answer	Has large number of pixels (2)		
		It has smaller pixels (2)		
		[ANY ONE]	(1 x 2)	(2)
	3.3.5	More (1)	(1 x 1)	(1)
	3.3.6	The gradient is steep (2)		
	Give a reason for your answer	Contour lines are close together (2)		
		[ANY ONE]	(1 x 2)	(2)

TOTAL SECTION B: 30
GRAND TOTAL: 150

