

This question paper consists of 13 pages, 1 information sheet and an answer book of 23 pages.



NSC Confidential

INSTRUCTIONS AND INFORMATION

Read the following instructions carefully before answering the questions.


- 1. This question paper consists of 11 questions.
- 2. Answer ALL the questions in the SPECIAL ANSWER BOOK provided.
- 3. Clearly show ALL calculations, diagrams, graphs, etc. which you have used in determining your answers.
- 4. Answers only will NOT necessarily be awarded full marks.
- 5. You may use an approved scientific calculator (non-programmable and non-graphical), unless stated otherwise.
- 6. If necessary, round off answers to TWO decimal places, unless stated otherwise.
- 7. Diagrams are NOT necessarily drawn to scale.
- 8. An information sheet with formulae is included at the end of the question paper.
- 9. Write neatly and legibly.

ć



At the beginning of a season, the coach of a junior boys' rugby team recorded the weight (in kg) of the 15 players in his team and the number of push-ups that each player was able to do in one minute. The data is represented in the table and scatter plot below. The least squares regression line for the data is drawn.

Weight (in kg) (x)	34	32	40	27	33	28	27	55	39	44	30	57	28	32	31
Number of push-ups per minute (y)	26	21	6	20	16	26	23	7	18	14	17	8	28	25	20



1.1 Determine the equation of the least squares regression line for the data.

- 1.2 Write down the correlation coefficient.
- 1.3 The coach uses the least squares regression line to set the target for the minimum number of push-ups by each team member according to their weight. Predict the number of push-ups that a member of the team, who weighs 29 kg, should do to meet the target.
- 1.4 Write down the mean number of push-ups for the given data.
- 1.5 The players trained hard during the season. At the end of the season, the coach reported that each player was able to do 5 more push-ups per minute than they did at the beginning of the season. How does the increase in the number of push-ups influence the standard deviation of the data?
- At the beginning of the season, the coach used the least squares regression line as the minimum target for a player to aim for. Determine the maximum possible increase in the number of push-ups that a team member must obtain to reach the minimum target. (2)

[10]

(3)

(1)


(2)

(1)

(1)



The cumulative frequency graph (ogive) shows the time taken (in minutes) for 60 employees to travel to work each morning.



- 2.1 Estimate the median travel time.
- 2.2 Estimate the lower quartile.
- 2.3 Estimate the interquartile range.
- 2.4 The minimum and maximum times taken for an employee to travel to work are 5 and 120 minutes respectively. On the scaled line in the ANSWER BOOK, draw a box and whisker diagram to indicate the distribution of the data as represented in the ogive above.
- 2.5 The company manager decided that all employees who travel for an hour or more will be allowed to work from home for part of the day. What percentage of the employees will be allowed to work from home for part of the day?
- 2.6 Employees work 8 hours in a normal working day. The manager decided on the following rule for time to work from home:
 - An employee is allowed to work half an hour from home for each time interval of 20 minutes, or part thereof, above an hour taken to travel to work.

On a certain day, an employee takes 110 minutes to travel to work. Calculate the number of minutes that this employee will be allowed to work from home on this day.

(2) [10]

(1)

(1)


(2)

(2)

(2)




In the diagram below, $\triangle ACD$ has vertices A, D(3; -9) and C(-9; 0), where A is a point in the second quadrant. B(-1; k) lies on side DC.



3.1	Calculate the gradient of DC.	(2)
3.2	Determine the equation of DC in the form $y = mx + c$.	(2)
3.3	Show that $k = -6$.	(1)
3.4	Calculate the length of DC.	(2)
3.5	Calculate the ratio of $\frac{DB}{DC}$.	(2)
3.6	If M is a point on AD such that AC MB, calculate the ratio of $\frac{\text{Area} \Delta \text{MBD}}{\text{Area} \Delta \text{ACD}}$.	(4)
3.7	If it is further given that the gradient of AD is -4 and the length of AD is $\sqrt{612}$ units, calculate the coordinates of A.	(6) [19]




In the diagram, M(1; 3) is the centre of the circle. The circle cuts the x-axis at N. ST is a tangent to the circle at P(3; 9). R(d; 1), with d > 0, and L lie on the circle. O and V are the x-intercepts of PL and RL respectively.



4.1	Write down the coordinates of L.	(2)
4.2	Determine the equation of tangent ST to the circle at P.	(4)
4.3	Show that the equation of the circle with centre M is $x^2 + y^2 - 2x - 6y - 30 = 0$.	(4)
4.4	Show that $d = 7$.	(2)
4.5	Calculate the size of \hat{L}	(5)
4.6	TR is a tangent to the circle at R. Prove that $PT \perp RT$.	(3) [20]



Mathema Downloaded from Stanmorephysics.com NSC Confidential



P(-3;-4)

Determine, without using a calculator, the value of:

- 5.1.1 $\cos A$ (2)
- $5.1.2 \cos 2A$ (2)
- 5.1.3 $\sin(A-B)$, if it is further given that $\sin B = \frac{4}{5}$ and $90^\circ < B < 360^\circ$ (4)
- 5.2 If $\cos \alpha = p$, express the following expression in terms of p:

$$\frac{\cos\left(\frac{\alpha}{2} - 45^{\circ}\right)\sin\left(\frac{\alpha}{2} - 45^{\circ}\right)}{2} \tag{4}$$



Moundeaded from Stanmorephysics.com NSC Confidential

QUES	TION 6		
6.1	Given th	he identity: $\cos(x-y) = \cos x \cos y + \sin x \sin y$	
	6.1.1	Use the compound angle identity given above to derive a formula for $\cos(x+y)$.	(2)
	6.1.2	Hence, or otherwise, show that:	
		$\frac{\cos(90^\circ - x)\cos y + \sin(-y)\cos(180^\circ + x)}{\cos x \cos(360^\circ + y) + \sin(360^\circ - x)\sin y} = \tan(x + y)$	(6)
6.2	Given:	$f(x) = \sqrt{6\sin^2 x - 11\cos(90^\circ + x) + 7}$ Stonmore physics.com	
	Solve fo	or x in the interval $x \in (0^\circ; 360^\circ)$ if $f(x) = 2$.	(6)
6.3	Conside	r the function: $g(x) = \frac{4 - 8\sin^2 x}{3}$	
	6.3.1	Calculate the maximum value of g .	(3)
	6.3.2	Write down the smallest possible value of x for which g will have a maximum value in the interval $x \in (0^\circ; 360^\circ]$.	(1)


(1) [**18**]



Mathematican International And International Mathematica Mathemati

QUESTION 7

In the diagram below, the graph of $f(x) = \tan x$ is drawn for the interval $x \in [-180^\circ; 180^\circ]$.



7.1 Write down the equation of the asymptote of f in the interval $x \in [0^\circ; 180^\circ]$. (1)

7.2 Write down the values of x in the interval $x \in [-180^\circ; 0^\circ]$ for which $f(x) \le 0$. (2)

- 7.3 Given: $g(x) = \cos 2x + 1$
 - 7.3.1 Write down the period of g.

7.3.2 On the grid given in the ANSWER BOOK, draw the graph of $g(x) = \cos 2x + 1$ for the interval $x \in [-180^\circ; 180^\circ]$. Clearly show the intercepts with the axes as well as the coordinates of the turning points. (3)

7.4 Use the graphs to determine the general solution of
$$2\cos^3 x - \sin x = 0$$
. (4)

(1)




Mathematics/P2ded from Stanmorephysics.com

QUESTION 8

لملك

In the diagram, C is the foot of a vertical building and D is the top of the same building. The height of the building, CD, is 16 m. Two observers are standing 19 m apart at points A and B, where A, B and C lie in the same horizontal plane. A painter is working at point E on the building. The angle of elevation of D from A is 46,85°. $D\hat{E}B = 122^{\circ}$ and $B\hat{C}A = 105,61^{\circ}$.




- 8.1 Calculate the length of AC, the distance between the observer at A and the foot of the building. (2)
- 8.2 Calculate how far the painter at E is from the top of the building. (7)
 - [9]



Provide reasons for your statements in QUESTIONS 9, 10 and 11.

QUESTION 9

In the diagram, ABCD is a cyclic quadrilateral. BC is produced to E. AC is drawn.




9.1	Calculate, with a reason, the value of \hat{A}_1 .	(2)
		127122 - 1

9.2 Hence, prove that AD = DC.

(4) [6]




In the diagram, ΔRST is drawn. Line AB intersects RS and RT at A and B 10.1 respectively such that AB || ST.



Prove the theorem which states that a line drawn parallel to one side of a triangle divides the other two sides proportionally, i.e. $\frac{RA}{AS} = \frac{RB}{BT}$

In the diagram, O is the centre of the circle. ΔPWS is drawn with P, W and S on 10.2 the circle. OR \perp PS. PRS is produced to T. SW and OT intersect at V. OV: OT = 1:4




- 10.2.1 Prove, with reasons, that OR : WS = 1 : 2
- 10.2.2 Calculate the length of PT if ST = 15 units.

(6)

(4)



In the diagram, A, B, G and F lie on the larger circle. A smaller circle is drawn to touch the larger circle internally at A. EA is a common tangent to both circles. EBCF is a tangent to the smaller circle at C. AC is produced to G. AF cuts the smaller circle at D. AB, CD and GF are drawn.



11.1	If $E\hat{A}G = x$, determine with reasons, FOUR other angles that are equal to x.		(6)
11.2	Prove that $AG.AD = AC.AF$		(4)
11.3	Prove that $\triangle AGF \parallel \mid \triangle ABC$		(4)
11.4	Prove that $GF^2 = \frac{BC.FC.AF}{AD}$		(6) [20]
		TOTAL:	150



DBE/November 2024

Natural or Stanmorephysics.com NSC Confidential

	TON SHEET
$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$	
$A = P(1+ni) \qquad A = P(1-ni)$	$A = P(1-i)^n \qquad A = P(1+i)^n$
$T_n = a + (n-1)d$ $S_n = \frac{n}{2}[2a + \frac{n}{2}]$	+(n-1)d
$T_n = ar^{n-1} \qquad \qquad S_n = \frac{a(r^n - r)}{r-1}$	(1) ; $r \neq 1$ $S_{\infty} = \frac{a}{1-r}$; $-1 < r < 1$
$F = \frac{x[(1+i)^n - 1]}{i} \qquad P = \frac{x[1-(1+i)^n - 1]}{i}$	$(+i)^{-n}$
$f'(x) = \lim_{h \to 0} \frac{f(x+h) - f(x)}{h}$	
$d = \sqrt{(x_2 - x_1)^2 + (y_2 - y_1)^2} \qquad M\left(\frac{x_1}{x_1}\right)$	$\left(\frac{x_1 + x_2}{2}; \frac{y_1 + y_2}{2}\right)$
$y = mx + c \qquad \qquad y - y_1 = m(x - x_1)$	$m = \frac{y_2 - y_1}{x_2 - x_1} \qquad m = \tan \theta$
$(x-a)^2 + (y-b)^2 = r^2$	
In $\triangle ABC$: $\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$	
$a^2 = b^2 + c^2 - 2bc.\cos A$	
area $\triangle ABC = \frac{1}{2}ab.\sin C$	
$\sin(\alpha+\beta)=\sin\alpha.\cos\beta+\cos\alpha.\sin\beta$	$\sin(\alpha-\beta)=\sin\alpha.\cos\beta-\cos\alpha.\sin\beta$
$\cos(\alpha+\beta)=\cos\alpha.\cos\beta-\sin\alpha.\sin\beta$	$\cos(\alpha - \beta) = \cos \alpha . \cos \beta + \sin \alpha . \sin \beta$
$\int \cos^2 \alpha - \sin^2 \alpha$	
$\cos 2\alpha = \begin{cases} \cos^2 \alpha - \sin^2 \alpha \\ 1 - 2\sin^2 \alpha \\ 2\cos^2 \alpha - 1 \end{cases}$	$\sin 2\alpha = 2\sin \alpha . \cos \alpha$
$\overline{x} = \frac{\sum_{i=1}^{n} x_i}{n}$	$\sigma^2 = \frac{\sum_{i=1}^n (x_i - \overline{x})^2}{n}$
$P(A) = \frac{n(A)}{n(S)}$	P(A or B) = P(A) + P(B) - P(A and B)
$\hat{y} = a + bx$	$b = \frac{\sum (x - \overline{x})(y - \overline{y})}{\sum (x - \overline{x})^2}$

-

-



O	Depart Basic B	ment: ducation						Candidate	Barcode labe	al/Stafieskodepl	akker		
	NSS-	antwo	ver Book ordeboek					Novemb		Confident		oulik 🥢	
National S CENTRE NUM	BER	rtificate	Nasionale S	enior Ser				- даруещо	ÇI 2424	Conjinein)
EXAMINATIO EKSAMENNOM	N NUMBEI	2										Sequence No. or Valgnommer o	n mark shee op punilestaa
DATE D <i>atum</i>								BOOK NU BOEKNO			OF KAN		OOKS OEKE
SUBJECT COD	E							PAPER N VRAESTI	UMBER LNOMME	R	2		
SUBJECT NAN VAENAAM	IE		MATH	IEMLA	TICS/		_						
м	ARKER/N	ASIENER				MOD MODERA	ERATOR'	S INITIALS DORLETTER	IN RELEV S IN RELE	ANT BLOCI VANTE BLO	K D <u>KKIE</u>		
Question Vraag	Marks Punte	Nas	ker's Code & Initials iener se kode Voorletters	Marks Punte	SM	Marks Punte	DCM AHN	Marks Punte	CM HN	Marks Punte	ІМ	Marks Punte	EN
1													
2													
3													_
4											_		
5													
6												. a	
7									1				_
8													
9													_
10				14									
11													_
					_						-		_
		-											-
			TOTAL TOTAAL										
CONTROLL (SURNAME GEKONTRO	AND INIT	IALS OF I	D CORRECT EA)							READ INS	STRUCTION	IS ON THE NE	XT PAGI Z BLADS

This answer book consists of 23 pages./Hierdie antwoordeboek bestaan uit 23 bladsye.

Copyright reserved/Kopiereg voorbehou

•

	PLEASE FOLLOW THESE INSTRUCTIONS CAREFULLY	VOLG ASSEBLIEF HIERDIE INSTRUKSIES NOUKEURIG
1.	Clearly write your examination number and centre number in the space provided and attach your barcode label in the space provided.	1. Skryf jou eksamennommer en sentrumnommer duidelik in die ruimtes soos verskaf en plak jou stafieskodeplakker in die ruimte soos verskaf.
2.	Remember that your own name (or the name of your school) may not appear anywhere on or in this answer book.	2. Onthou dat jou eie naam (of die naam van jou skool) nie op of in hierdie antwoordeboek mag voorkom nie.
3.	Answer ALL questions in the spaces provided.	3. Beantwoord ALLE vrae in die ruimtes wat voorsien is.
4.	No pages may be torn from this answer book.	4. Geen bladsye mag uit hierdie antwoordeboek geskeur word nie.
5.	Read the instructions printed on your timetable carefully as well as any other instructions which may be given in each examination paper.	5. Lees die instruksies wat op jou eksamenrooster gedruk is, sorgvuldig deur, asook enige ander instruksies wat op elke eksamenvraestel gegee word.
6.	Candidates may not retain an answer book or remove it from the examination room.	6. Geen antwoordeboek mag deur die kandidaat behou of uit die eksamenlokaal verwyder word nie.
7.	Answers must be written in black/blue ink as distinctly as possible. Do not write in the margins.	7. Skryf die antwoorde so duidelik moontlik met swart/blou ink. Laat die kantlyne oop.
8.	Write the numbers of the questions you have answered on the front cover of the answer book where marks are to be recorded.	8. Skryf die nommers van die vrae wat jy beantwoord het op die voorblad van die antwoordeboek waar die punte aangebring word.
9.	 If you require additional space for your answers: 9.1 Use the additional space provided at the end of the answer book. 	 In geval jy addisionele ruimte benodig vir jou antwoorde: 9.1 Gebruik die addisionele ruimte wat aan die einde van die antwoordeboek
	9.2 When answering a question in the additional space, indicate clearly the question number in the column on the LHS.	voorsien word. 9.2 As 'n vraag in die addisionele ruimte beantwoord word, dui duidelik die vraagnommer in die kolom aan die LK aan
	9.3 Rule off after each answer.	9.3 Trek 'n lyn na elke antwoord.
10.	Draw a neat line through any work/rough work that must not be marked.	10. Trek 'n netjiese lyn deur enige werk/rofwerk wat nie nagesien moet word nie.





Mathematics/P2/Wiskunde/V2 3 DOWNIOACEONSE/NSSD Answer Block Antopol depoek Confidential/Vertroulik

Weight (in kg)/ Gewig (in kg) (x)	34	32	40	27	33	28	27	55	39	44	30	57	28	32	31
Number of push-ups per minute/Getal opstote per minuut (y)	26	21	6	20	16	26	23	7	18	14	17	8	28	25	20

Solution/Op	olossing	Marks Punte
1.1		1:
		(3)
1.2		
		(1)
1.3		
		(2)
1.4		
1.5		(1)
		(1)
1.6		
		(2) [10]
L.		[10]









Mathematics/P2/Wiskunde/V2 5 DOWNIOOOCGNSE/NSSI Answer Book Anteronaeyoek Confidential/Vertroulik


	Solution/Oplossing	Marks Punte
2.4	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	
		(2)
2.5	0000	
		(2)
2.6		
		(2)
L		[10]






Mathematics/P2/Wiskunde/V2

6







Mathematics/P2/Wiskunde/V2 7 DOWNOOdedSC/NSMAnswerBookanwoordeboek Emidential/Vertroulik

	Solution/Oplossing	Marks Punte
3.3		
		(1)
3.4		
		(2)
3.5		
		(2)
3.6		
		(4)



Mathematics/P2/Wiskunde/V2


8

Downloaded from Confidential/Vertroulik

	Solution/Oplossing	Marks Punte
7		1 4446
		-
		-
		-
		_
		(6) [19]



Mathematics/P2/Wiskunde/V2 9 DOWN 00000 SCT/NSSMAnswerBlogs/Universite Confidential/Vertroulik



Solution/Oplossing	Marks Punte
	(2)
	7
	5
	(4)
	Solution/Oplossing



Mathematics/P2/Wiskunde/V2

10

Downloaded from Stanswer Book/Intygordeboek Comfidential/Vertroulik

	Solution/Oplossing	Marks Punte
4.3		1.000
4.4		(4)
4.5		(2)
		(5)



-

Mathematics/P2/Wiskunde/V2 Downloadersonsonansver Boppy Our regreteby exiconfidential Vertroulik

	Solution/Oplossing	Marks Punte
4.6		
		(3)
		[20]






12

NSC/NSS - Answer Book/Antwoordeboek Confidential/Vertroulik

QUESTION/VRAAG5

5.1



	Solution/Oplossing	Marks Punte
5.1.1		
		(2)
5.1.2		
		(2)
5.1.3		(2)
		-
		(4)



Mathematics/P2/Wiskunde/V2 DOWNIO3000NSE/NSD Answer Book/Antwoordeboek Confidential/Vertroulik

	Solution/Oplossing	Marks Punte
5.2		_
		-
		-
		-
		-
		-
		(4)
		[12]





Mathematics/P2/Wiskunde/K2 NSC/NSS - Answer Book/Antwoordeboek Confidential/Vertroulik

QUESTION/VRAAG 6

	Solution/Oplossing	Ma Pu	rks nte
6.1.1			
			(2)
6.1.2			
			(6

Copyright reserved/Kopiereg voorbehou




DBE/November 2024

Mathematics/P2/Wiskunde/V2 DOWNIOOOONSC/NSC Asswer Book/Antwoordebsek Confidential/Vertroulik

	Solution/Oplossing	Marks Punte
6.2		runie
-		
-		
-		
_		
-		
		(6)
5.3.1		
-		
_		
-		
.3.2		(3)
		(1)
		(1) [18]




Mathematics/P2/Wiskunde/V2 16 DBE/November 2024






Mathematics/P2/Wiskunde/V2 rom Stanmoreb7vSics com NSC/NSS - Answer Book/Antwoordeboek Confidential/Vertroulik




	Solution/Oplossing	Marks Punte
8.1		
		(2)
3.2		
		(7)
		(7) [9]



Provide reasons for your statements in QUESTIONS 9, 10 and 11. Verskaf redes vir jou bewerings in VRAAG 9, 10 en 11.








Mathematics/P2/Wiskunde/V2 DOWNIO COONSCINST Answer Book/Antwoord/boek Confidential/Vertroulik

QUESTION/VRAAG 10

10.1




Solution/Oplossing	Marks Punte
	(6)




Mathematics/P2/Wishunde/V2 DOWNIOACOONNSC/NSS-Answer Book/Intwoordeboek Confidential/Vertroulik

10.2



	Solution/Oplossing	Marks Punte
10.2.1		
		(5)
10.2.2		
		(4)
		[15]





	Solution/Oplossing	Marks Punte
11.1		
		(6)
11.2		
		(4)



Mathematics/P2/Wiskunde/V2 DOWNIOACOOTNSS Answer Book/Intwoordeboek Confidential/Vertroulik

	Solution/Oplossing	Marks Punte
11.3		10000
		(4)
11.4		
		(6) [20]
		[20]



Mathematics/P2/Wiskunde/V2 DOWNOOOOONSC/NSS- Stan Book/Antwoordeboek Confidential/Vertroulik

Additional space/Addisionele ruimte	Marks Punte
×	
	5 %)



DBE/November 2024

Mathematics/P2/Wishunde/V2 DOWNIO CONSTANT Answer Book/Antwordeboek Confidential/Vertroulik

RE-MARK/RE-CHECK HERMERK/HERSIEN				
Question Vraag	Marks Punte	Initials <i>Voorletters</i>		
1				
.2				
3				
4				
5				
6				
7				
8				
9		Ц.		
10				
11				
TOTAL	<u> </u>			
TOTAAL				
TOTAL <i>K4F</i> -				
	Vraag 1 2 3 4 5 6 7 8 9 10 11 TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL	HERMERK/HERSIEN Question Marks 1 Punis 1 2 3 3 4 5 6 3 7 3 8 3 9 3 10 1 11 1 10 1 11 1 10 1 11 1 10 1 11 1 11 1 11 1 11 1 11 1 11 1 11 1 11 1 11 1 11 1 11 1 11 1 11 1 11 1 11 1 11 1 11 1 11 1		



